

# Raleigh Fire Department History

## Hurricane Fran Calls - 1996

Version 1.2 – Last updated September 10, 2018

### Introduction

This document contains a list of calls answered by the Raleigh Fire Department during a three-day period around Hurricane Fran in September 1996. The data was originally collected and compiled by Captain Peter J. Brock. It has been converted to tabular format and (somewhat) normalized by Historian Mike Legeros.

EMS calls information is incomplete for purpose of privacy, and includes block numbers only. EMS calls totaled 142 and included several calls likely related to the storm and its aftermath, including five falls from tree/house/ladder, four bee stings, and one chainsaw accident.

### List of Calls

ID	Day	Time	Number	Street	Units	Call / Notes	Notes
0	Day 1	SEPTEMBER 5, 1996 - "B" SHIFT ON DUTY					
1	Day 1	1809	4200 blk	New Bern Ave.	E12	EMS	
2	Day 1	1810	500	E. Hargett St.	E3 E1 T1 C52	fire alarm (malfunction)	
3	Day 1	1813	2200 blk	Spring Forest Rd.	E15	EMS	
4	Day 1	1815	4420	Lake Boone Trail	E14 R6	vehicle accident	
5	Day 1	1847	1200 blk	Eva Mae Drive	E12	EMS	
6	Day 1	1848	9101	Leesville Rd.	E18	fire alarm (malfunction)	
7	Day 1	1906	2605	Atlantic Ave.	E11 E9 T11 C51	fire alarm (malfunction)	
8	Day 1	1913	627	Martin Luther King	E3 R7	vehicle accident	
9	Day 1	1915	215	S. McDowell St.	E1 E13 T1 C52	fire alarm (malfunction)	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
10	Day 1	1933	2609	Clark Ave.	E5	tree on house	
11	Day 1	1934	3303	White Oak Rd.	E6 E9 T16 C51	fire alarm (malfunction)	
12	Day 1	1936	4716	New Bern Ave.	E12	fire alarm (malfunction)	
13	Day 1	1943	330	S. Salisbury St.	E13	fire alarm (malfunction)	
14	Day 1	1952	1101	Raleigh Blvd.	E7	fire alarm (malfunction)	
15	Day 1	2003	421	N. Bloodworth St.	E3	gas odor	
16	Day 1	2007	5101	Wickham Rd.	E8	wires down	
17	Day 1	2013	4901	North Hills Dr.	E9	transformer	
18	Day 1	2017	4300 blk	Glenwood Ave.	E16	EMS	
19	Day 1	2017	600	Hillsborough St.	E13	vehicle fire (no fire)	
20	Day 1	2019	9001	Baileywick Rd .	E4	tree on house	
21	Day 1	2027	4206	Reavis Rd .	E5	wires down	
22	Day 1	2029	500	Raleigh Blvd.	E7	transformer	
23	Day 1	2032	3	Maiden Ln.	E13	wires down	
24	Day 1	2034	1000	Method Rd.	E8	tree in roadway	
25	Day 1	2034	1315	Oakwood Ave.	E3 R7	elevator stuck	
26	Day 1	2039	2816	O'Berry St.	E14	wire down	
27	Day 1	2040	1508	Stovall Dr.	E8	transformer	
28	Day 1	2042	400 blk	Woodburn Rd.	E5	EMS	
29	Day 1	2046	2807	Fowler St.	E14	wires down	
30	Day 1	2048	1311	Pineview Dr.	E20	transformer	
31	Day 1	2054	721	Hunting Ridge Rd.	E15	transformer	
32	Day 1	2100	2724	Riddick Dr.	E6	wires down	
33	Day 1	2103	8380	Capit Ln.	E19	fire alarm (malfunction)	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
34	Day 1	2107	613	Frank St.	E7	wires down	
35	Day 1	2109	2800 blk	Kidd Rd.	E12	EMS	
36	Day 1	2111	400	S. Wilmington St.	E1 E13 T1 C52	fire alarm (malfunction)	
37	Day 1	2112	517	Bilyue St.	E2	wires down	
38	Day 1	2117	800	S. Person St.	E3 E1 T1 C52 R7	house fire (nothing found)	
39	Day 1	2125	3012	Falstaff Rd.	E12	fire alarm (malfunction)	
40	Day 1	2126	8600	Glenwood Ave.	E17	fire alarm (malfunction)	
41	Day 1	2126	700 blk	W. South St.	E13 R7	EMS	
42	Day 1	2127	2670	Cambridge Rd.	E6	wires down	
43	Day 1	2128	3606	Clark Ave.	E8	tree on house	
44	Day 1	2130	5004	Colebrook Dr.	E12	tree on house	
45	Day 1	2131	400	Lord Berkley Dr.	E1	wires down	
46	Day 1	2133	1815	Spring Forest Rd.	L15	vehicle accident	
47	Day 1	2133	200 blk	S. Pettigrew St.	E3	EMS	
48	Day 1	2134	3200	Beechleaf Ct.	E11	fire alarm (malfunction)	
49	Day 1	2135	398	S. Person St.	E3	tree on house	
50	Day 1	2135	116	St. Mary's St.	E1	fire alarm (malfunction)	
51	Day 1	2138	205	E. Forest Dr.	E5	fire alarm (malfunction)	
52	Day 1	2140	533	Harvard St.	E9	wires down	
53	Day 1	2140	1308	Filmore St.	E6	transformer	
54	Day 1	2142	2905	Old Orchard	E14	tree on house	
55	Day 1	2146	600	N. East St.	E7	wires down	
56	Day 1	2148	304	W. Whitaker Mill Rd.	E13	wires down	
57	Day 1	2148	5001	Six Forks Rd.	E9	transformer	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
58	Day 1	2148	2320	Ridge Rd.	E14	transformer	
59	Day 1	2150	3917	Tara Dr.	MP9	wires down	
60	Day 1	2153	3606	Clark Ave	E5	tree on house	
61	Day 1	2153	2400	Crabtree Blvd.	E7	transformer	
62	Day 1	2154	1422	E. Millbrook Rd.	E11	fire alarm (malfunction)	
63	Day 1	2155	1936	New Bern Ave.	E1	tree on house	
64	Day 1	2156	6200	Capital Blvd.	E19 E15 T15 C51	electrical investigation	
65	Day 1	2158	100	E. Six Forks Rd.	MP9	wire down	
66	Day 1	2205	500	Jefferson St.	E13	wires down	
67	Day 1	2209	6300 blk	Glenwood Ave.	E17	EMS	
68	Day 1	2211	1000 blk	Hightower St.	E3	EMS	
69	Day 1	2220	405	E. Franklin St.	E13	gas leak	
70	Day 1	2222	400	S. Boylan Ave.	E5	transformer	
71	Day 1	2225	1400	Westmoreland Ave.	E14	wires down	
72	Day 1	2226	1199	E. Hargett St.	E3	wires down	
73	Day 1	2231	200 blk	Jones Franklin Rd.	E8	EMS	
74	Day 1	2231	1001	Wade Ave.	E6 E5 T1 C52	smoke in building	
75	Day 1	2232	1513	Collegeview Dr.	E20	wires down	
76	Day 1	2233	2410	Anderson Dr.	MP9	tree on house	
77	Day 1	2233	4500	Marriott Dr.	E16	fire alarm (malfunction)	
78	Day 1	2233	1950	Hillsborough st.	E5	transformer	
79	Day 1	2238	2900	Wade Ave.	E6	wire down	
80	Day 1	2239	622	Smedes Pl.	E5	wires down	
81	Day 1	2239	3809	Boddie Dr.	E11 E19 T11 C51 R7	electrical fire	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>	
82	Day 1	2244	1200	Duplin Dr.	E6	wires down		
83	Day 1	2246	6015	Lead Mine Rd.	E16	fire alarm (malfunction)		
84	Day 1	2256	600	Northwood Dr.	E16	wires down		
85	Day 1	2258	1900	Hillock Dr.	MP9	wires down		
86	Day 1	2259	2104	Kilburn Rd.	E11	assist invalid		
87	Day 1	2306	421	N. Bloodworth St.	E3	gas odor		
88	Day 1	2306	2028	Fairview Rd.	E6	wires down		
89	Day 1	2317	116	Gilbert St.	E2	wire down		
90	Day 1	2320	1117	Holmes St.	E3	wires down		
91	Day 1	2321	204	Poplar St.	E7	wires down		
92	Day 1	2323	1300	Lake Wheeler Rd.	E13	transformer		
93	Day 1	2334	2808	Bardwell Rd.	E11	gas leak		
94	Day 1	2342	2116	New Bern Ave.	E12 E3 T1 R7 C52	electrical fire		
95	Day 1	2343		NCSU DH Hill Library	E5	fire alarm (malfunction)		
96	Day 1	2351	2215	Roberts St.	E5	wires down		
97	Day 2	0000	SEPTEMBER 6, 1996					
98	Day 2	0000	6903	Valley Dr.	E13	tree on house		
99	Day 2	0001	500 blk	Dorothea Dr.	E13	EMS		
100	Day 2	0002	1700	Bellmeade Dr	E16	tree on house		
101	Day 2	0011	3257	Avent Ferry Rd.	E20	generator smoking		
102	Day 2	0013	100 blk	St. Mary's St.	E13	EMS		
103	Day 2	0013	1315	Oakwood Ave.	E7 R7	tree on person, subject trapped		
104	Day 2	0023	200	Hawthorne Ave	E5 E6 T1 R6 C52	electrical fire		
105	Day 2	0028	300	Oberlin Rd.	E5	tree on house		

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
106	Day 2	0040	100 blk	S. Wilmington St.	E1	EMS	
107	Day 2	0041	2614	Albermarle	E7	assist invalid	
108	Day 2	0045	1539	Iredell Rd.	E6	tree on house	
109	Day 2	0049	1733	Brooks Ave.	E5	tree on house	
110	Day 2	0057	2216	Alexander Dr.	E6	gasoline odor in house	
111	Day 2	0102	1132	Wimbleton Dr.	E16	gas leak	
112	Day 2	0117	2721	Van Dyke Ave.	E5 E8 T1 C53	tree on house, subjects trapped inside	Four inside house
113	Day 2	0121	4609	Brockton Dr.	E11 E19 T11 C51	tree on house with collapse	
114	Day 2	0126	2700	Bedford Ave.	E14	wires down	
115	Day 2	0133	3116	Glenridge Dr.	E11 T11	gas odor	
116	Day 2	0138	204	N. State St.	E3	gas leak	
117	Day 2	0139	3109	Ashe St.	E17	gas odor	
118	Day 2	0149	1519	Brooks Ave.	E5	tree on house, subject injured inside	
119	Day 2	0152	5209	Knightsbridge Way	E11	gas odor	
120	Day 2	0156	622	Wimbleton Dr.	E16	tree on house	
121	Day 2	0157	7099	Leesville Rd.	E18 DHFD T16 C53	electrical fire	
122	Day 2	0201	113	Rosehaven Ct.	E4	tree on house	
123	Day 2	0204	10000	Durant Rd.	E19	wires down	
124	Day 2	0211	3409	Allendale Dr.	E11	fire alarm (malfunction)	
125	Day 2	0213	3203	White Oak Rd.	E13	tree on house	
126	Day 2	0218		NCSU Research 1	E20	fire alarm (malfunction)	
127	Day 2	0220	5318	Dana Dr.	E8	flooded apartments	
128	Day 2	0235	4801	Liverpool Ln.	E12	gas leak	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
129	Day 2	0236	3100 blk	Olde Birch Ln.	E10	EMS	
130	Day 2	0240	1300 blk	Canterbury Rd.	E5	EMS	
131	Day 2	0241		I440 @ Lake Boone	E14	vehicle accident	
132	Day 2	0242	5213	Knightsbridge Way	E11	gas leak	
133	Day 2	0250	501	W. Whitaker Mill Rd.	E6	wires down on vehicle, subjects trapped inside	
134	Day 2	0301	2036	Muirfield Village	E12	tree on house	
135	Day 2	0311	2608	Glascock St.	R7	tree on house	
136	Day 2	0313	5304	Fieldstone Ct.	E15	gas leak	
137	Day 2	0314	719	King Richard Rd.	E7	gas leak	
138	Day 2	0325	3901	Quail Hollow Dr.	E11	assist invalid	
139	Day 2	0329	5010	Tremont Dr.	E15	gas odor	
140	Day 2	0330	2700	Creech Rd.	E2 E3 T1 C52	electrical fire	
141	Day 2	0337	3000	Avent Ferry Rd.	E20 T8 MP17	tree in roadway	
142	Day 2	0356	8200	Litchford Rd.	E19 T15	flooded building (nursing home)	
143	Day 2	0405	2900	Lake Boone Tr.	E14	flooded building	
144	Day 2	0406	5217	Kaplan Dr.	E8	flooded house, subjects trapped inside	Three subjects
145	Day 2	0408	400	N. Person St.	E3	fire alarm (malfunction)	
146	Day 2	0410	NCSU	West Dunn Bldg.	E5 E13 T1 C53	electrical fire	
147	Day 2	0411	721	Dorothea Dr.	E1	flooded building	
148	Day 2	0413	500 blk	S. Blount St.	E3	EMS	
149	Day 2	0413	7110	Longstreet Dr.	E4	flooded apartments	
150	Day 2	0420	1511	Graduate Dr.	E20 R6	drowning (rescued by civilians)	Subject in flood water, rescued by civilians

ID	Day	Time	Number	Street	Units	Call / Notes	Notes	
151	Day 2	0428	2647	St. Mary's St.	E16	gas leak		
152	Day 2	0432	3900	Tara Dr.	E9	tree on apartments		
153	Day 2	0441	400	E. Six Forks Rd.	E9	flooding, car trapped		
154	Day 2	0444	5440	Pine Top Ln.	L16	gas leak		
155	Day 2	0446	5300	Western Blvd.	E8	gas odor		
156	Day 2	0448	4428	Oak Park Rd.	E18 MP9	gas leak		
157	Day 2	0454		I440 @ Yonkers Rd.	E11	flooding, subject trapped in car		
158	Day 2	0509	3831	Quail Hollow Dr.	E11	flooded building		
159	Day 2	0509	1701	S. Wilmington St.	E1	flooded building		
160	Day 2	0509	3200 blk	Calumet Dr.	E12	EMS		
161	Day 2	0511	5245	Dana Dr.	E8 18	flooded apartments, subjects trapped		
162	Day 2	0516	5245	Dana Dr., s/c	E5 R7 C53	flooded apartments, s/c		
163	Day 2	0523	404	Kinsey St.	E13	gas leak		
164	Day 2	0534	6301	Lakeland Dr.	E16	gas odor		
165	Day 2	0535	616	Wade Ave.	E1 E13 T1 C52	smoke odor in building		
166	Day 2		RECALL ALL OFF DUTY SHIFTS					
167	Day 2	0544	600	Newton Rd.	E4 T15	flooded building		
168	Day 2	0546	4300	Lead Mine Rd.	MP9	flooded building		
169	Day 2	0549	4200 blk	Weaver Dr.	E18	EMS		
170	Day 2	0555	2501	Wake Forest Rd.	E11	vehicle flooded		
171	Day 2	0559	521	S. Person St.	E3	tree on house		
172	Day 2	0602	6908	Breckenridge Fd	E9	gas odor		
173	Day 2	0604	2814	O'Berry St.	E6 E14 T1 C52	house fire (crawlspce)	One engine and one ladder held	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
174	Day 2	0613	3700	Wake Forest Rd.	E11	flooded building	
175	Day 2	0613	6900 blk	Glenwood Ave.	L16	EMS	
176	Day 2	0613	700	Powell Dr.	E8	gas odor	
177	Day 2	0615	4500 blk	Credmoor Rd.	E16 R7	EMS	
178	Day 2	0618	5309	Fieldstone Dr.	E19	gas odor	
179	Day 2	0623	699	E. Lane St.	E3	gas odor	
180	Day 2	0627	7900	N. Nevada Ct.	L11	tree on mobile home, body removal	
181	Day 2	0632	500	Avery St.	E7	gas leak	
182	Day 2	0633	2324	Byrd St.	E5	gas odor	
183	Day 2	0637	100	Fenton St.	L1	gas odor	
184	Day 2	0640	2700	St. Mary's St.	E11 MP9	gas odor	
185	Day 2	0644	1740	Brooks Ave	E14	gas odor	
186	Day 2	0647	5200 blk	Shamrock Pl.	E16	EMS	
187	Day 2	0648	7900	Creedmoor Rd.	E18	assist invalid	
188	Day 2	0648	100	City Farm Rd.	E2	flooding, vehicles and subjects trapped	Two vehicles, two subjects
189	Day 2	0652	1631	St. Mary's St.	E5	gas leak	
190	Day 2	0652	216	Crestview	E4	gas leak	
191	Day 2	0654	2713	Royster St.	L16	gas leak	
192	Day 2	0655	3420	Brentwood Rd.	E19	gas leak	
193	Day 2	0705	610	Sasser St.	E3	flooded house	
194	Day 2	0705	506	Grove Ave.	E8	gas leak	
195	Day 2	0706	6800	Eastbrook Dr.	E4	gas leak	
196	Day 2	0706	321	Powell Dr.	L8	tree on house	

ID	Day	Time	Number	Street	Units	Call / Notes	Notes	
197	Day 2	0708	513	Chesterfield Dr.	E6	gas leak		
198	Day 2	0710	1625	Capital Blvd.	E11	gas odor		
199	Day 2	0716	709	E. Lenoir St.	E3	flooded house		
200	Day 2	0717	3909	Quail Hollow Dr.	E19	gas odor		
201	Day 2	0721	2804	Fordham Ln.	E11	gas odor		
202	Day 2	0721	1215	Onslow Rd.	E8	gas leak		
203	Day 2	0731	3723	Swift Drive	E5	kerosene leak		
204	Day 2	0732	700	Grove Ave.	L8	gas leak		
205	Day 2	0732	915	Williamson Dr.	E6 R6	building collapse		
206	Day 2	0735	1001	Manchester Dr.	E4	wires down		
207	Day 2	0739	1100	Cowper Dr.	E6	gas leak		
208	Day 2	0741		I440 @ Sauders	E20	flooded vehicles		
209	Day 2	0745	3412	Brentwood Rd.	L11	gas leak		
210	Day 2	0747	417	Parnell Dr.	E12	tree on house, subject trapped inside		
211	Day 2	0747	708	Penn Rd.	E3	kerosene leak		
212	Day 2	0749	1029	Vestavia Woods Dr.	E18	gas leak		
213	Day 2	0752	4825	Carteret Dr.	E16	flooded vehicle		
214	Day 2	0753	3602	Woodlea Dr.	E11	gas odor		
215	Day 2	0754	402	N. King Charles Rd.	E7	gas leak		
216	Day 2	0758	5700	Kinsbury Ct.	E15	gas odor		
217	Day 2	0800	"C" SHIFT ON DUTY					
218	Day 2	0806		NCSU	E8	EMS		
219	Day 2	0809	2200	Creston Rd.	E14	gas odor		
220	Day 2	0812	2600	Springhill	E2	gas leak		

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
221	Day 2	0824	3111	Susse Rd.	E6	gas leak	
222	Day 2	0825		I440 @ Rock Quarry	E10	vehicle fire (no fire)	
223	Day 2	0825	409	E. Worth St.	E1	wires down	
224	Day 2	0826	716	Pebblebrook Dr.	E9	gas leak	
225	Day 2	0833	201	Glenwood Ave.	E13 C52	haz-mat (ammonia leak)	Small amount
226	Day 2	0833	2116	Ann St.	E11	gas odor	
227	Day 2	0839	2457	Derby Dr.	E7	gas odor	
228	Day 2	0843	732	Powell Dr.	E8	gas odor	
229	Day 2	0845	3213	Queens Rd.	E16	gas odor	
230	Day 2	0852	1400	Dixie Trail	E14 R6	vehicle accident	
231	Day 2	0856	500 blk	Dacian Rd.	E12	EMS	
232	Day 2	0856	2819	Dillmark Ct.	E10	wires down	
233	Day 2	0903	900	Wimbleton or.	E9	gasoline leaking from car	
234	Day 2	0904	3000	New Bern Ave.	E7	fire alarm (malfunction)	
235	Day 2	0914	2706	Newbold St.	E2	tree on house	
236	Day 2	0923	1319	Nottingham Rd.	E14	gas leak	
237	Day 2	0929	2511	Wake Forest Rd.	R7	flooding, subjects trapped	Two people
238	Day 2	0930	400	Chadwick Pl.	E9	gas leak	
239	Day 2	0940	3051	Lake Woodard Dr.	E11	fuel spill (minor)	
240	Day 2	0941	1501	E. Lane St.	E7	oil tank hit by tree	
241	Day 2	0951	2601	Glenwood Ave.	E5	gas odor	
242	Day 2	0956	1422	Park Dr.	R6	wires down	
243	Day 2	0959	3524	Brentwood Rd.	L11	gas odor	
244	Day 2	1012	300 blk	Hillcrest. Rd.	R6	EMS	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>	
245	Day 2	1015	3400	White Oak Rd.	E6	gas odor		
246	Day 2	1017	600	Rose Ln.	E12	flooding, subjects stranded		
247	Day 2	1020	2201	S. Wilmington St.	E2	vehicle accident		
248	Day 2	1042	3400 blk	Ruffin St.	E5	EMS		
249	Day 2	1047	1700 blk	Sundial Pl.	E7	EMS		
250	Day 2	1048	810	Rock Quarry Rd.	E3	vehicle accident		
251	Day 2	1049	4212	Azalea Dr.	E14	wires down		
252	Day 2	1051	500	Dacian Rd.	E12	flooded apartments		
253	Day 2	1103	2900	Wake Forest Rd.	R7	flooding, subjects trapped		
254	Day 2	1104	1100	Hadley Dr.	E10	gas odor		
255	Day 2	1105	2407	Paula St.	E11	flooding, subjects trapped		
256	Day 2	1113	409	Colleton Rd.	E7	wires down		
257	Day 2	1113	8800 blk	Colesbury Dr.	E15	EMS		
258	Day 2	1115	OFF DUTY RECALL DISCONTINUED. "C" SHIFT ONLY ON DUTY					
259	Day 2	1117	1700	Gorman St.	E20	wires down		
260	Day 2	1117	1900	S. Saunders St.	E13	haz-mat (xylene drums floating in stream)	55 gallon drums of xylene floating in stream	
261	Day 2	1130	517	Bailey Dr.	E10	oil tank ruptured		
262	Day 2	1134	3012	Woodgreen Dr.	E14	oil tank ruptured		
263	Day 2	1134	1600	Pineview Dr.	E5	fuel spill (minor)		
264	Day 2	1136	817	Brooklyn St.	E1	fire alarm (malfunction)		
265	Day 2	1137	501	Lakestone Dr.	E6	gas leak		
266	Day 2	1138	1625	Wake Forest Rd.	E7	gas odor		
267	Day 2	1142	3109	Ashe St.	E17	gas leak		
268	Day 2	1144	600	Willard Pl.	E13	wires down		

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
269	Day 2	1146	7907	Brandyapple Dr.	E4	gas odor	
270	Day 2	1200		I440 & Yonkers Rd.	L11	flooded vehicle	
271	Day 2	1207	1509	E. Lane St.	E7	gas odor	
272	Day 2	1219	2709	Newbold St.	E2	wires down	
273	Day 2	1223	300	Furches St.	E5	wire down	
274	Day 2	1232	600 blk	E. Martin St.	E3	EMS	
275	Day 2	1239	1325	Lake Wheeler Rd.	E2	gas odor	
276	Day 2	1256	6200 blk	North Hills Dr.	E16	EMS	
277	Day 2	1259	1614	Glenwood Ave.	E6	gasoline odor	
278	Day 2	1320	5538	Lead Mine Rd.	L16	fire alarm (malfunction)	
279	Day 2	1322	4700 blk	Yadkin Rd.	E9	EMS	
280	Day 2	1328	401	Haywood St.	E3	wire down	
281	Day 2	1334	4198	Six Forks Rd.	E15 MP9	vehicle fire (no fire)	
282	Day 2	1335	2500	New Hope Church Rd.	L11	wires down	
283	Day 2	1344	4600 blk	Pleasant Valley	E17	EMS	
284	Day 2	1345	599	Pineview St.	E10	wires down	
285	Day 2	1345	2537	S. Saunders St.	E2	fire alarm (malfunction)	
286	Day 2	1348	1217	Cowper Dr.	E14	wires down	
287	Day 2	1348	201	Groveland Ave.	E5 E1 T1 R6 C52	house fire (storage area)	One engine and one ladder held.
288	Day 2	1349	1416	Athens Dr.	E20	gas odor	
289	Day 2	1356	101	S. Bloodworth St.	E1	fire alarm (malicious)	
290	Day 2	1356	1200	Crabtree Blvd.	E7	flooded houses	
291	Day 2	1358	2820	Morton Rd.	E19	gas odor	
292	Day 2	1406	3237	Calumet Dr.	E12	flooded apartments	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
293	Day 2	1418	327	E. Martin St.	E1	wires down	
294	Day 2	1423	5800 blk	Branchwood Pl.	E15	EMS	
295	Day 2	1423	200	W. Jones St.	E1	wires down	
296	Day 2	1423	401	Marlowe Rd.	E9	gas odor	
297	Day 2	1437	818	Ellington St.	E3	wires down	
298	Day 2	1440	3104	Garner Rd.	E10	wires down	
299	Day 2	1440	112	N. Carver St	E7	wires down	
300	Day 2	1505	1500 blk	Caswell St.	E6	EMS	
301	Day 2	1509	4540	Antique Ln.	E19	gas leak	
302	Day 2	1511	6234	Glenwood Ave.	MP9	fire alarm (malfunction)	
303	Day 2	1526	5400 blk	Old Forge Ct.	E15 T15	EMS	
304	Day 2	1532	6600 blk	Hammersmith Dr.	E16	EMS	
305	Day 2	1534	6204	Glenwood Ave.	E17 MP9	fire alarm (malfunction)	
306	Day 2	1544	1707	Hillsborough St.	E5	fire alarm (malfunction)	
307	Day 2	1551	1200	Brooks Ave.	E5	wires down	
308	Day 2	1552	4501	Creedmoor Rd.	R7	flooded building (motel)	
309	Day 2	1605	5700 blk	Oak Forest Rd.	E19	EMS	
310	Day 2	1605	1615	Wolfpack Ln.	E11	fire alarm (malfunction)	
311	Day 2	1607		Martin Luther King	E3 R6	vehicle accident	
312	Day 2	1610	2600	Ligon St.	E8 T8 C53 HZM 20	haz-mat (nerve gas leak)	NCSU experiment accident
313	Day 2	1615		s/c to Ligon St.	E15 T15 R6		
314	Day 2	1615	3727	Svrift Dr.	E14	fuel tank ruptured	
315	Day 2	1619	6270	Glenwood Ave.	MP17	fire alarm (malfunction)	
316	Day 2	1620	4040	Capital Blvd.	E4	fire alarm (malfunction)	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
317	Day 2	1621	8917	Glenwood Ave.	E17	fire alarm (malfunction)	
318	Day 2	1625	25	Sunnybrook Rd.	E12	fire alarm (malfunction)	
319	Day 2	1625	1900	S. Saunders St.	E2	fire alarm (malfunction)	
320	Day 2	1629	320	W. Davie St.	E1	fire alarm (malfunction)	
321	Day 2	1630	600 blk	Cranbrook Rd.	E9	EMS	
322	Day 2	1630	3808	Six Forks Rd.	E16	fire alarm (accidental)	
323	Day 2	1635	3200	Beechleaf Ct.	E11	fire alarm (malfunction)	
324	Day 2	1644	901	Delaney Dr.	E7	wires down	
325	Day 2	1645	7816	Six Forks Rd.	E15	wires down	
326	Day 2	1647	1112	Tipton St.	E3	wires down	
327	Day 2	1648	200 blk	Linden St.	E1	EMS	
328	Day 2	1701	1700 blk	Carson St.	E6	EMS	
329	Day 2	1706	2500 blk	Atlantic Ave.	E11	EMS	
330	Day 2	1718	300	W. South @ Dawson	E1	vehicle accident	
331	Day 2	1719	3364	Alamance Dr.	E9	gas leak	
332	Day 2	1721	3400	Six Forks Rd.	E6	wires down	
333	Day 2	1731	2050	Clark Ave.	E5	fire alarm (malfunction)	
334	Day 2	1740	2509	Holbrook Ct.	E11	gas odor	
335	Day 2	1751	3200	Beechleaf Ct.	L11	fire alarm (malfunction)	
336	Day 2	1754		New Bern @ State	E3	vehicle accident	
337	Day 2	1754		NCSU Student Supply	E5	fire alarm (malfunction)	
338	Day 2	1800	3301	Olympia Dr.	E2	vehicle fire (working fire)	
339	Day 2	1803	5600	Departure Dr.	E15	vehicle accident	
340	Day 2	1808	300 blk	Tryon Rd.	E10	EMS	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
341	Day 2	1818	2700 blk	Clark Ave.	E5	EMS	
342	Day 2	1820	3333	Granville Dr.	E9	wires down	
343	Day 2	1824	605	Ralph Dr.	E12	gas odor	
344	Day 2	1825	205	Ramblewood Dr.	E6	wires down	
345	Day 2	1826	200 blk	Camden St.	E3	EMS	
346	Day 2	1833	1900	Cameron St.	R6 C52	vehicle accident	
347	Day 2	1836	3800 blk	Brentwood Rd.	E11	EMS	
348	Day 2	1838	1700 blk	Oberlin Rd.	E5	EMS	
349	Day 2	1850	9401	Strickland Rd.	E4	wires down	
350	Day 2	1857	3000	New Bern Ave.	E12	fire alarm (malfunction)	
351	Day 2	1902	8400 blk	Wycombe Ln.	E15	EMS	
352	Day 2	1902	12	Bagwell St.	E5	fire alarm (malfunction)	
353	Day 2	1911	4815	Six Forks Rd.	E9	fire alarm (malfunction)	
354	Day 2	1912	1513	Westchester Rd.	E7	wires down	
355	Day 2	1913	2601	W. Frat Ct.	E20	fire alarm (malicious)	
356	Day 2	1917	2301	New Hope Church Rd.	L11	wires down	
357	Day 2	1926		Martin @ Blount	E3	vehicle accident	
358	Day 2	1932	730	Rock Quarry Rd.	E1	transformer	
359	Day 2	1933	509	Glenwood Ave.	E5	elevator stuck	
360	Day 2	1939	6004	Cranberry Dr.	E9	wires down	
361	Day 2	1942	5300	Westgate Rd.	E18	wires down	
362	Day 2	1952	1328	Filmore St.	E5	wires down	
363	Day 2	1953	3303	Turnbridge Dr.	E6	wires down	
364	Day 2	1953	2619	Western Blvd.	E20	gas odor	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
365	Day 2	1955	900	S. State St.	E3	wires down	
366	Day 2	2002	408	Alston St.	E1	transformer	
367	Day 2	2010	3607	Oates Dr.	E11	wires down	
368	Day 2	2011	1425	Carolina Pines	E2	wires down	
369	Day 2	2013	8501	Stonegate Dr.	E15	fire alarm (malfunction)	
370	Day 2	2024	700 blk	Tyler Rd.	E7	EMS	
371	Day 2	2024	9500	Falls of Neuse	E19	wires down	
372	Day 2	2030	2000	Western Blvd.	E13	gas leak	
373	Day 2	2034	200	Calibre Chase	E9 R6 R7 C51	drowning (false call)	
374	Day 2	2041	1410	New Bern Ave.	E3	fire alarm (malfunction)	
375	Day 2	2054		NCSU	E5	EMS	
376	Day 2	2108	4011	Westchase Blvd.	E14	fire alarm (malfunction)	
377	Day 2	2110	2301	Wake Forest Rd.	E6	gas odor	
378	Day 2	2118	2110	Blue Ridge Rd.	E14	transformer	
379	Day 2	2121	726	S. Saunders St.	E2	transformer	
380	Day 2	2130	116	St. Mary's St.	E1	transformer	
381	Day 2	2134	1410	New Bern Ave.	E7	fire alarm (malfunction)	
382	Day 2	2154	3992	Neely St.	E8	grass fire	
383	Day 2	2200	1021	Brighthurst	E5	fire alarm (malfunction)	
384	Day 2	2208	3201	Spring Forest Rd.	E19	fire alarm (malfunction)	
385	Day 2	2210	5501	Atlantic Springs	E15	fire alarm (malfunction)	
386	Day 2	2218	116	St. Mary's St.	E13	fire alarm (malfunction)	
387	Day 2	2220	1811	Charles St.	E3	gas odor	
388	Day 2	2226	714	Carolina Ave.	E8	gas odor	

ID	Day	Time	Number	Street	Units	Call / Notes	Notes	
389	Day 2	2239	3100	Ward Rd.	E11	smoke in area		
390	Day 2	2252	1340	Brooks Ave.	E6	fire alarm (accidental)		
391	Day 2	2256	1912	Hadley Rd.	E3	gas odor		
392	Day 2	2259	4300	Hunters Club	E20	illegal burning		
393	Day 2	2320	600	Peterson St.	E3 E10 T1 R7 C52	report of bldg fire (malic.)		
394	Day 2	2324	6234	Glenwood Ave.	E17	fire alarm (malfunction)		
395	Day 2	2324	2200	Westinghouse Blvd.	E11	fire alarm (malfunction)		
396	Day 2	2330	116	St. Mary's St.	E13	fire alarm (malfunction)		
397	Day 2	2334	1200	Raleigh Blvd.	E7 E3 T1 R7 C52	apartment fire (working fire)	Two-story brick/wood 40x100, two units damaged	
398	Day 2	2341	6234	Glenwood Ave.	E17	fire alarm (malfunction)		
399	Day 2	2343	1300	Hodges St.	E11	fire alarm (malfunction)		
400	Day 2	2349	1400 blk	Steinbeck Dr.	E9	EMS		
401	Day 3	0000	SEPTEMBER 7, 1996					
402	Day 3	0004	799	Bragg St.	E1	smoke in building		
403	Day 3	0045	4700 blk	Westgrove St.	E8	EMS		
404	Day 3	0104	6234	Glenwood Ave.	E17	fire alarm (malfunction)		
405	Day 3	0126	3301	Wake Forest Rd.	E9	vehicle fire (working fire)		
406	Day 3	0151	1109	N. West St.	E5	fire alarm (accidental)		
407	Day 3	0159	4601	Atlantic Ave.	E11	fire alarm (malfunction)		
408	Day 3	0202	200 blk	Old Stadium Dr.	E5	EMS		
409	Day 3	0207	300 blk	E. Cabarrus St.	E3	EMS		
410	Day 3	0227		NCSU	E8	EMS		
411	Day 3	0308	820	S. Boylan Ave.	E13 E2 T1 R6 C52	structure fire (mattress)	Second floor	
412	Day 3	0439	800 blk	Bragg St.	E3	EMS		

ID	Day	Time	Number	Street	Units	Call / Notes	Notes	
413	Day 3	0544	2825	Capital Blvd	E11	wires down		
414	Day 3	0546	1304	Steinbeck Dr.	E9 E15 T15 R6 C51	apartment fire (kitchen)	Kitchen area, one engine and ladder held.	
415	Day 3	0559	500 blk	Glenwood Ave.	E5	EMS		
416	Day 3	0601	3900 blk	Marcom St.	E20	EMS		
417	Day 3	0607	2900	Wake Forest Rd.	E11	fire alarm (malfunction)		
418	Day 3	0658	3800 blk	Blue Ridge Rd.	E14	EMS		
419	Day 3	0710	3200 blk	Lewis Farm Rd.	E6	EMS		
420	Day 3	0724	5300	Inglewood Dr.	E9	tree on house		
421	Day 3	0759	320	E. Davie St.	E3	wires down		
422	Day 3	0800	"B" SHIFT ON DUTY					
423	Day 3	0836		Western & Kent	E8	vehicle accident		
424	Day 3	0904	2721	Discovery Dr.	E15	fire alarm (malfunction)		
425	Day 3	0908	2805	Highwoods Blvd.	E11	assist invalid		
426	Day 3	0913	615	Lake Boone Tr.	E6	wires down		
427	Day 3	0915	1420	Park Dr.	E5	wires down		
428	Day 3	0917	700	Haywood St.	E1	carbon monoxide alarm		
429	Day 3	0926	3300 blk	Alleghany Dr.	E9	EMS		
430	Day 3	0933	521	S. Person St.	E1	wires down		
431	Day 3	0948	3733	Browning Pl.	E11	fire alarm (malfunction)		
432	Day 3	0955	600	Newton Rd.	E4	fire alarm (malfunction)		
433	Day 3	0956	747	W. Johnson St.	E5	flooding, assist business		
434	Day 3	0958	3800 blk	Blue Ridge Rd.	E14	EMS		
435	Day 3	1000	1842	Fountain Dr.	E10	dumpster fire (working fire)		

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
436	Day 3	1004	2600 blk	Poole Rd.	R7	EMS	
437	Day 3	1004	3009	Devonshire Ln.	E8	fire alarm (malfunction)	
438	Day 3	1007		Tarboro @ Martin	E3	vehicle accident	
439	Day 3	1008	509	Glenwood Ave.	E13	fire alarm (malfunction)	
440	Day 3	1017	1804	Hillsborough St.	E1	fire alarm (malfunction)	
441	Day 3	1022	8200	Providence Square	E18	woods fire	
442	Day 3	1023	2101	Harrod St.	E11	fire alarm (malicious)	
443	Day 3	1023	521	S. Person St.	E3	wires down	
444	Day 3	1026	1300	S. Person St.	E2	wires down	
445	Day 3	1029	509	Glenwood Ave.	E5	fire alarm (malfunction)	
446	Day 3	1029	3200 blk	Apache Dr.	L11	EMS	
447	Day 3	1035	2400	White Oak Rd.	E6	wires down	
448	Day 3	1043	6500 blk	Gateridge Dr.	E17	EMS	
449	Day 3	1044	2500 blk	Westham Ct.	E11	EMS	
450	Day 3	1058	313	Camden St.	E3	wires down	
451	Day 3	1058	506	Pershing Rd.	E6	fire alarm (malfunction)	
452	Day 3	1059	6899	Ray Rd.	E17	grass fire	
453	Day 3	1100	700 blk	S. State St.	E1	EMS	
454	Day 3	1111	4900	Lakemont Rd.	E9	transformer	
455	Day 3	1114	1633	Glenwood Ave.	E13	fire alarm (malfunction)	
456	Day 3	1118	3100 blk	Churchill Ave.	E14	EMS	
457	Day 3	1118	2800 blk	Brentwood Rd.	E11	EMS	
458	Day 3	1140	4300 blk	St. James Church	E11	EMS	
459	Day 3	1143	901	E. Hargett St.	E3	wires down	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
460	Day 3	1143	1300 blk	Walnut St.	E2	EMS	
461	Day 3	1147	6600	Glenwood Ave.	E17 R6	child locked inside car	
462	Day 3	1206	5000 blk	Memory Rd.	E15	EMS	
463	Day 3	1219	4600 blk	Capital Blvd.	E19	EMS	
464	Day 3	1221	4500 blk	Gates St.	E9	EMS	
465	Day 3	1221	2500 blk	Medway Dr.	E6	EMS	
466	Day 3	1227	5412	Packwood Dr.	E16	gas leak	
467	Day 3	1229	1400 blk	Ashburton Rd.	E20	EMS	
468	Day 3	1235	2800	Morton Rd.	E11	brush fire	
469	Day 3	1236	3299	Lynn Rd.	E17	wires down	
470	Day 3	1237	614	Craberry Ln.	E15	gas leak	
471	Day 3	1250	600 blk	Wade Ave.	E6	EMS	
472	Day 3	1304	3200	Avent Ferry Rd.	E20	vehicle accident	
473	Day 3	1305	3300 blk	Morningside Dr.	E14	EMS	
474	Day 3	1318	4200 blk	Birmingham Way	E11	EMS	
475	Day 3	1323	300 blk	Glascocock St.	R7	EMS	
476	Day 3	1324	1615	Wolfpack Ln.	L11	fire alarm (malfunction)	
477	Day 3	1339		Poole @ Raleigh Blvd.	E7	vehicle accident	
478	Day 3	1346	6700 blk	Winter Pl.	E19	EMS	
479	Day 3	1346	4500 blk	Marriott Dr.	E16	EMS	
480	Day 3	1357	3600 blk	New Bern Ave.	R7	EMS	
481	Day 3	1406	509	Glenwood Ave.	E5	fire alarm (malfunction)	
482	Day 3	1410	700 blk	W. Peace St.	E7	EMS	
483	Day 3	1410	1815	Capital Blvd.	L11	fire alarm (malfunction)	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
484	Day 3	1414	3200 blk	Eagle Trace	E15	EMS	
485	Day 3	1425	2400 blk	Voyager Ct.	E20	EMS	
486	Day 3	1428		St. Mary's at Wade	E6	vehicle accident	
487	Day 3	1431	1500	Lake Front Dr.	E17	transformer	
488	Day 3	1438	1313	New Bern Ave.	E7	grass fire	
489	Day 3	1438	3001	Capital Blvd.	E11	vehicle fire (no fire)	
490	Day 3	1439	1431	Courtland Dr.	E3	fire alarm (malfunction)	
491	Day 3	1447	4325	Glenwood Ave	E16	fire alarm (malicious)	
492	Day 3	1502	1804	Hillsborough St.	E5	fire alarm (malfunction)	
493	Day 3	1506	3400	Old Lassiter Mill	E9 R6	Drowning (later found fatal)	Body located one week later.
494	Day 3	1509	3000 blk	Lake Woodard Dr.	L11	EMS	
495	Day 3	1510	2324	Byrd St.	E6	gas leak	
496	Day 3	1515		s/c to Lassiter Mill	R7	Drowning, s/c	
497	Day 3	1530	908	E. Hargett St.	E3	fire alarm (malfunction)	
498	Day 3	1530	6325	Falls of Neuse	E15	vehicle fire (working fire)	
499	Day 3	1533	3626	Rock Quarry Rd.	E12	wires down	
500	Day 3	1546		s/c to Lassiter Mill	E16	Drowning, s/c	
501	Day 3	1548	3125	Ward Rd.	E11	leaves on fire	
502	Day 3	1548	1600	New Bern Ave.	E7	vehicle accident	
503	Day 3	1552	4200	Six Forks Rd.	E15	vehicle accident	
504	Day 3	1610	211	Lafayette St.	R7	transformer	
505	Day 3	1618	600	Van Thomas Rd.	E4	wires down	
506	Day 3	1620	4815	Six Forks Rd.	E15	fire alarm (malfunction)	
507	Day 3	1638	4100	Balsam Dr.	E14	leaves on fire	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
508	Day 3	1643	3600 blk	Memory Ln.	E11	EMS	
509	Day 3	1700	1551	Rock Quarry Rd.	E3	fire alarm (malfunction)	
510	Day 3	1706	820	S. Boylan Ave.	E13	fire alarm (malfunction)	
511	Day 3	1708	2800 blk	Club Plaza	E2	EMS	
512	Day 3	1719	1800	Bellwood Dr.	E5	wires down	
513	Day 3	1729	200 blk	Plainview Dr.	E7	EMS	
514	Day 3	1731	3809	Computer Dr.	E6	fire alarm (malfunction)	
515	Day 3	1735	4400	Lead Mine Rd.	L16	smoke in area	
516	Day 3	1746	818	Ellington Rd.	E3	wires down	
517	Day 3	1800	3912	Quail Hollow Dr.	E15 E11 T15 C52	pot on stove	
518	Day 3	1816	900 blk	S. Blount St.	E3	EMS	
519	Day 3	1823	6234	Glenwood Ave.	E17	fire alarm (accidental)	
520	Day 3	1823	3401	Gresham Lake Rd.	E19	fire alarm (malfunction)	
521	Day 3	1834	825	Carlisle St.	E12	leaves on fire	
522	Day 3	1839	7812	Housewrenn	E17	grill fire	Propane tank.
523	Day 3	1839	2315	Laurelbrook Dr.	E11	fire alarm (malfunction)	
524	Day 3	1842	2700 blk	Clark Ave.	E5	EMS	
525	Day 3	1844	6234	Glenwood Ave.	E18	fire alarm (malfunction)	
526	Day 3	1850	2426	Wake Forest Rd.	E7	transformer	
527	Day 3	1853	1922	Hawkins St.	E12	wires down	
528	Day 3	1855	3906	Haresnipe Ct.	L16	vehicle accident	
529	Day 3	1856	2301	Anderson Dr.	E6	transformer	
530	Day 3	1857	7300 blk	Bassett Hall	E19	EMS	
531	Day 3	1857	1400 blk	S. Wilmington St.	E2	EMS	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
532	Day 3	1901	300 blk	S. Person St.	E3	EMS	
533	Day 3	1903	2800 blk	Highwoods Blvd.	E11	EMS	
534	Day 3	1906	1613	Oakwood Ave.	E7	wires down	
535	Day 3	1907	116	St. Mary's St.	E13	fire alarm (malfunction)	
536	Day 3	1912	4321	Yadkin Rd.	E9	wires down	
537	Day 3	1912	2007	Nancy Ann Dr.	E14	wires down	
538	Day 3	1923	108	Poe Dr.	E12	fire alarm (malfunction)	
539	Day 3	1923	3114	Garner Rd.	E10	tree on house	
540	Day 3	1926	513	S. Peartree Ln.	E3 E1 T11 C52 R7	electrical fire	
541	Day 3	1932	3222	Susse Rd.	E6	fire alarm (malfunction)	
542	Day 3	1944	116	St. Mary's St.	E13	burnt food	
543	Day 3	1946	3900 blk	Neely St.	E8	EMS	
544	Day 3	1952	5913	Shade Tree Ln.	E17	brush fire	
545	Day 3	1953	613	Peartree Ln.	E3	electrical investigation	
546	Day 3	2007	5404	Sharpe Dr.	E17	transformer	
547	Day 3	2008	3400 blk	Rock Creek Dr.	E9	EMS	
548	Day 3	2016	5600 blk	Creedmoor Rd.	E16	EMS	
549	Day 3	2019	1918	Hawkins St.	E3	wires down	
550	Day 3	2028	4516	Keswick Dr.	E16	wires down	
551	Day 3	2029	7300 blk	Mine Valley Rd.	E4	EMS	
552	Day 3	2047	9401	Strickland Rd.	E18	trash fire	
553	Day 3	2056		NCSU-Leazar Hall	E5	fire alarm (malfunction)	
554	Day 3	2058	405	Kinsey St.	E13	tree on house	
555	Day 3	2104	936	Beverly Dr.	E12	wires down	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
556	Day 3	2105	500 blk	Peyton St.	R7	EMS	
557	Day 3	2108	3165	Hidden Pond Dr.	E18	leaves on fire	
558	Day 3	2109	2201	Brentwood Rd.	E11	fire alarm (malfunction)	
559	Day 3	2123	3706	Baugh St.	E11	wires down	
560	Day 3	2138	700	Glenwood Ave.	E5	vehicle accident	
561	Day 3	2139	1818	Cantwell Ct.	E7 E3 T11 C52 R7	oven fire	
562	Day 3	2143	1101	Oberlin Rd.	E13	fire alarm (malfunction)	
563	Day 3	2145		NCSU-Daniels Hall	E8 E2 T1 C53	structure fire (air handler)	Air handling unit on fire
564	Day 3	2147	600	Washington St.	E1	transformer	
565	Day 3	2151	900	W. Peace St.	E5	leaves on fire	
566	Day 3	2156	4700	Homewood Ct.	E9	fire alarm (malfunction)	
567	Day 3	2159	3200 blk	Pinecrest Dr.	E11	EMS	
568	Day 3	2214	400 blk	New Bern Ave.	E3	EMS	
569	Day 3	2223	3013	Lake Woodard Dr.	E11	transformer	
570	Day 3	2236	300 blk	S. East St.	E1	EMS	
571	Day 3	2250	2298	North Hills Dr.	L16	transformer	
572	Day 3	2256	700 blk	S. East St.	E3	EMS	
573	Day 3	2301	1300	Hodges St.	E11	fire alarm (malfunction)	
574	Day 3	2305	6400 blk	Lakeland Dr.	E4	EMS	
575	Day 3	2315	914	Tyrrell Dr.	E9 E16 T11 C51	electrical investigation	
576	Day 3	2321	512	Creekside Dr.	E11	wires down	
577	Day 3	2332	1124	Culpepper Ln.	E7	wires down	
578	Day 3	2340	2525	Beech Gap	E20	electrical outlet fire	
579	Day 3	2342	515	Barksdale Rd.	E3	transformer	

ID	Day	Time	Number	Street	Units	Call / Notes	Notes	
580	Day 3	2347	100 blk	E. South St.	E1	EMS		
581	Day 3	2359	3807	Bonneville Ct.	E19 E15 T11 C51 R7	apartment fire (couch)	Couch on fire inside.	
582	Day 4	SEPTEMBER8,1996						
583	Day 4	0006	1432	N. King Charles Rd.	E7	fire alarm (malfunction)		
584	Day 4	0019		Western @ Gorman	E8 R6 C53	vehicle accident (entrapment)	One person	
585	Day 4	0046	2107	Fairview Rd.	E6	transformer		
586	Day 4	0050	570 blk	Dorothea Dr.	E13	EMS		
587	Day 4	0138	6	Enterprise St.	E5	wires down		
588	Day 4	0213	116	St. Mary's St.	E13 E1	fire alarm (malfunction)		
589	Day 4	0249	2500	Avent Ferry Rd.	E20	illegal burning		
590	Day 4	0252	500 blk	E. Whitaker Mill	E6	EMS		
591	Day 4	0341	2815	Capital Blvd.	E11 E7 T11 C51 R7	electrical short		
592	Day 4	0415	116	St. Mary's St.	E13 E1	fire alarm (malfunction)		
593	Day 4	0446	1950	Garner Rd.	E3	wires down		
594	Day 4	0455	1564	Varsity Dr.	E20	transformer		
595	Day 4	0533	1100 blk	Clanton St.	E8	EMS		
596	Day 4	0607	2900	Wake Forest Rd.	E9	fire alarm (malfunction)		
597	Day 4	0644	7900	Falls of Neuse	E15	fire alarm (accidental)		
598	Day 4	0659	4717	Pemberton Dr.	E9	carbon monoxide alarm		
599	Day 4	0725	3900 blk	Wake Forest Rd.	E9	EMS		
600	Day 4	0732	700 blk	Crown Ct.	E6	EMS		
601	Day 4	0800	"C" SHIFT ON DUTY					
602	Day 4	0805	4000	Lake Boone Tr.	E14	fire alarm (malfunction)		
603	Day 4	0826	4600 blk	Windmere Chase	E19	EMS		

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
604	Day 4	0835	615	W. Hargett St.	E13	flooded building	
605	Day 4	0909	3100 blk	Edwards Mill Rd.	E14	EMS	
606	Day 4	0931	308	S. Boylan Ave.	E13	wires down	
607	Day 4	0953	5300 blk	Creedmoor Rd.	E16	EMS	
608	Day 4	0955	3040	Woods Pl.	E8 E5 T8 C53 R6	gas leak	
609	Day 4	1015	118	E. South St.	E3 E1 T1 C52 R7	gas leak	
610	Day 4	1020	1500 blk	Hemphill Ct.	E15	EMS	
611	Day 4	1027	116	St. Mary's St.	E13 E1	fire alarm (malfunction)	
612	Day 4	1036	2733	Anderson Dr.	E6 E9 T16 C51	fire alarm (malfunction)	
613	Day 4	1046	3130	Garner Rd.	E10	wires down	
614	Day 4	1047	1720	Capital Blvd.	E7 E11 T11 C52	fire alarm (malfunction)	
615	Day 4	1049	4600 blk	Glenwood Ave.	L16	EMS	
616	Day 4	1053	3049	Lake Woodard Dr.	E11	transformer	
617	Day 4	1059	2851	Club Plaza	E2	wires down	
618	Day 4	1119	1804	Hillsborough St.	E5	fire alarm (malicious)	
619	Day 4	1123	4200 blk	Six Forks Rd.	E9	EMS	
620	Day 4	1125	116	St. Mary's St.	E13	fire alarm (malfunction)	
621	Day 4	1135	100 blk	Perquimans Dr.	E6	EMS	
622	Day 4	1152	4807	Beryl Rd.	E8	fire alarm (malfunction)	
623	Day 4	1216	3100 blk	Edwards Mill Rd.	E14	EMS	
624	Day 4	1221	409	N. King Charles Rd.	E7	wires down	
625	Day 4	1222	1212	Manchester Dr.	E9	wires down	
626	Day 4	1223	6015	Lead Mine Rd.	E16	fire alarm (accidental)	
627	Day 4	1227	116	St. Mary's St.	E13	burnt food	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
628	Day 4	1227	6114	Hushpuppy Ln.	E19	leaves on fire	
629	Day 4	1230	4580	Delta Lake	E17	gasoline spill	
630	Day 4	1238	4530	Capital Blvd.	E11 E15 T11 C51	oven fire	
631	Day 4	1251	908	E. Hargett St.	E3	wires down	
632	Day 4	1253	140	Northway Ct.	E4	fire alarm (malfunction)	
633	Day 4	1254	414	Morrison Rd.	E6	wires down	
634	Day 4	1314	109	E. Jones St.	E3	fire alarm (malfunction)	
635	Day 4	1329	614	Sunnybrook Rd.	E12	wires down	
636	Day 4	1330	2100 blk	New Bern Ave.	R7	EMS	
637	Day 4	1330	300 blk	S. East St.	E1	EMS	
638	Day 4	1335	100 blk	Haywood St.	E3	EMS	
639	Day 4	1338	1512	Creech Rd.	E10	wires down	
640	Day 4	1353	1100 blk	Gregg St.	E1	EMS	
641	Day 4	1416	739	Chappel Dr.	E20	fire alarm (malfunction)	
642	Day 4	1419	4807	Beryl Rd.	E8	fire alarm (malfunction)	
643	Day 4	1422	6015	Lead Mine Rd.	E16	fire alarm (malfunction)	
644	Day 4	1425	601	Oberlin Rd.	E5	fire alarm (malfunction)	
645	Day 4	1438	3500 blk	Tryon Rd.	E20	EMS	
646	Day 4	1442	900 blk	Spring Forest Rd.	E15	EMS	
647	Day 4	1456	700 blk	Peach Rd.	E2	EMS	
648	Day 4	1516	3618	Oates Dr.	E11	wires down	
649	Day 4	1523	3917	Hylton Dr.	E19	carbon monoxide alarm	
650	Day 4	1531	4000	Blue Ridge Rd.	HZM 20	haz-mat (chemical odor)	Chemical odor in building
651	Day 4	1532	500 blk	E. Edenton St.	E3	EMS	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
652	Day 4	1538		Raleigh Blvd. & Poole	E7 R7 C52	vehicle accident	
653	Day 4	1539	100 blk	Summit Ave.	E2	EMS	
654	Day 4	1553	3300 blk	Baugh St.	E19	EMS	
655	Day 4	1555	900 blk	Wilmington Ter.	R7	EMS	
656	Day 4	1558	217	Merrell Dr.	E12	dumpster fire	
657	Day 4	1612	1100 blk	Walnut St.	E2	EMS	
658	Day 4	1612	4200 blk	Six Forks Rd.	E9	EMS	
659	Day 4	1614	800 blk	Vardaman St.	E3	EMS	
660	Day 4	1631	3000	Holston Ln.	E12	fire alarm (malfunction)	
661	Day 4	1639	3900 blk	Western Blvd.	R6	EMS	
662	Day 4	1641	500 blk	E. Martin St.	E3	EMS	
663	Day 4	1645	3115	Dell Dr.	E9	wires down	
664	Day 4	1709	100	Logan St.	E6	transformer	
665	Day 4	1716	1217	Sunken Ridge	E15	tree on house	
666	Day 4	1742	2433	Kinnington Rd.	E7	transformer	
667	Day 4	1758	1305	Hardimont Rd.	E9 E15 T15 C51	electrical investigation	
668	Day 4	1803	8600	Falls of Neuse	E4 E15 T15 C51 R7	grill fire	
669	Day 4	1824	5700	Oldtowne Dr.	E9	trash fire	
670	Day 4	1828	1800 blk	Watkins St.	E7	EMS	
671	Day 4	1831	2400 blk	Still Forest Pl.	E14	EMS	
672	Day 4	1833	7129	North Ridge Dr.	E15	fire alarm (malfunction)	
673	Day 4	1843	2605	Albermarle Rd.	E12	transformer	
674	Day 4	1857	706	Colleton Rd.	E7	trash fire	
675	Day 4	1934	1006	Cedarhurst Dr.	E9	wires down	

ID	Day	Time	Number	Street	Units	Call / Notes	Notes
676	Day 4	1934		Mills & Signett	E19	vehicle accident	
677	Day 4	1938	2800 blk	Rue Sans Famille	E14	EMS	
678	Day 4	1945	1305	Hardimont Rd.	E15 E11 T15 C51 R6	structure fire (air conditioner)	Air conditioner on fire
679	Day 4	1945	100 blk	Bart St.	E3	EMS	
680	Day 4	1954	1100 blk	Tazwell Pl	E6	EMS	
681	Day 4	1954	6100	Bayberry Ln.	E16 E18 T16 C53 R6	house fire, s/c (working fire)	large, two-or-three story, wood-frame, access hampered by debris
682	Day 4	1955	1110	Clifton St.	E7	wires down	
683	Day 4	1956	100 blk	E. South St.	E1	EMS	
684	Day 4	1956	600	Charleston Rd.	E8 E20 T8 C52 R7	malicious call	
685	Day 4	1957	4101	New Bern Ave.	E11 T11 C52	structure fire (air conditioner)	Air conditioner on fire
686	Day 4	1958	2809	Bardwell Rd.	E9 E5 T1 C12	electrical fire	
687	Day 4	2011	4740	Courtney Ln.	E19	wires down	
688	Day 4	2015	3812	Burt Dr.	E5	wires down	
689	Day 4	2022	2301	New Bern Ave.	E7	transformer	
690	Day 4	2026		s/c to 6100 Bayberry	E17	house fire (working fire)	Five firefighters transported to hospital due to heat related problems
691	Day 4	2026	416	Jones Franklin Rd.	E8	electrical investigation	
692	Day 4	2034		s/c to 6100 Bayberry	E4 R7	house fire, s/c (working fire)	
693	Day 4	2035	1300	Fayetteville St.	E2	electrical investigation	
694	Day 4	2035	2111	Harrod St.	E11 E15 T11 C51	lighting strike	
695	Day 4	2043	2400	Avent Ferry Rd.	E8	transformer	

<b>ID</b>	<b>Day</b>	<b>Time</b>	<b>Number</b>	<b>Street</b>	<b>Units</b>	<b>Call / Notes</b>	<b>Notes</b>
696	Day 4	2045	3200	Avent Ferry Rd.	E20	flooded vehicles	
697	Day 4	2057	1200	Athens Dr.	E8	wires down	
698	Day 4	2118		fire u/c 6100 Bayberry			
698	Day 4	2106	3805	Carnegie Ln.	E14	EMS	