

# Raleigh Fire Department History

## Hurricane Fran Log Book Entries, 1996

Version 1.1 – Last updated December 13, 2017

### Introduction

This document contains Raleigh Fire Department log book excerpts of selected activities and notes before, during, and after Hurricane Fran, which struck the Capital City on the evening of Thursday, September 5, 1996.

### Notes and Abbreviations

Abbreviation	Description	
C5	Car 5	Division Chief or shift commander, then named Battalion Chief.
C51	Car 51	Battalion Chief, then named District Chief.
C52	Car 52	
C53	Car 53	
C42	Car 42	Fire inspector.
Mini		Mini-pumper.
HM20	Haz-Mat 20	Hazardous materials response unit.
SR5	Special Risk 5	Combination mobile air and command post unit.
Code II		Working structure fire.
Code III		Major working structure fire and automatic second alarm.
10-50		Motor-vehicle accident or collision.

### Log Book Entries

Unit	Order	Date	Time	Notes
C5	1	9/5	0800	Chief Capps on duty. C51 – Farantatos, C52 – Franks, C53 – Woodlief
C5	2	9/5	--	Overhead door came down on revolving light on back of Eng 5.
C5	3	9/5	--	Boom on Truck 1 struck arm hanging from overhead door.

Unit	Order	Date	Time	Notes
C5	4	9/5	--	Mini 3 ran through water at Wake Forest and Georgetown and "drowned out."
C5	5	9/5	--	M. R. Hocutt injured by falling tree on [Mini 3]?
C5	1	9/6	0800	Chief Stanford on duty. C51 – Warren, C52 – P. Johnson, C53 – L. Johnson
C5	2	9/6	--	Fuel truck ran and fueled all equipment on the north side.
C5	3	9/6	--	Station 2's electricity back on. Downtown units received fuel from Station 2.
C5	4	9/6	--	Capt. Scarboro repaired the overhead door in front of Truck 1.
C5	5	9/6	--	Richard [mechanic] tried to get Mini 3 running but could not. Specialty Towing towed Mini 3 to the shop.
C5	6	9/6	--	Engine 19 pulled off the road and onto the shoulder and got stuck. Specialty Towing pulled them out.
C5	7	9/6	--	Two trees fell on Station 16, knocking two small holes in the roof. Mini 9 and 17 assisted with tree removal.
C5	8	9/6	2335	E7, 3, T1, R7, C52, C5, SR5 responded to Code II apartment fire at 1834 Raleigh Blvd. Fire started by candle left burning in the bathroom. E7 used one 1 1/2" line to extinguish the fire.
C5	1	9/7	0800	Chief Capps on duty C51 – Farantatos, C52 – Franks, C53 – Woodlief
C5	2	9/7	--	E9, 16, R7, C51 to Lassiter Mill to search for drowning victim.
C5	3	9/7	--	Overhead door at Station 5 fell out of track on one corner. Piece of glass fell and hit FF D. B. Gardner above his right eye. Transported to Wake Medical. 15 stitches.
C5	4	9/7	0800	Chief Stanford on duty C51 – Warren, C52 – P. Johnson, C53 – L. Johnson
C5	5	9/7	--	Fire Station 6 can be used as a water point for anyone needing water.
C5	6	9/7	--	Fire stations are open to any city employee who wants to take a shower.

Unit	Order	Date	Time	Notes
C5	7	9/7	--	Removed large pine tree off Station 10.
C5	1	9/8		E16, 18, T16, C53, C5 responded to a Code II fire at 6500 Bayberry Lane. Used two 1 ½" lines to extinguish. 5 firefighters sent to Rex ER for heat exhaustion. Capt. Bagwell also complaining of back pain. The others were R. Guidi, M. Kemmeries, W. Watson, and D. B. Price.
C5	1	9/9	0800	Perry on duty C51 – Atkinson, C52 – Wall, C52- Faison
C5	2	9/9	--	All fire department scheduled training activities are cancelled for the rest of the week.
C5	3	9/9	--	Blue fire department t-shirts and wash 'n' wear / blue jeans for dirty work are authorized Monday 9/9 through Friday 9/13.
C5	4	9/9	--	Overhead door at #5 repaired.
C5	5	9/9	--	#8 has two 10-KW generators from the military for power. Four military personnel staying at station.
C5	6	9/9	--	#16 has one 15KW generator from the military for power. Two military personnel staying at station.
C5	7	9/9	--	Received letter from Chief Sandy for volunteers to help remove trees from city employee's houses, vehicles, driveways, who are on 12 hour shifts.
C5	8	9/9	0018	Code II fire – 706 E. Lenoir Street – Ligon Middle School – E3, E1, T1, R7, C52 – Fire contained to room of origin. Smoke throughout building. [Classroom trailer.]
C5	9	9/9	0431	Code II fire – 4820 Creedmoor Road – Fire in single-family dwelling. Call was in county. Six Forks FD also responded. Dwelling was two-story with basement and one-story attached wing. Fully involved on one-story wing, with first showing on first floor of two-story section. Estimated total loss. Cause determined as tree falling across power line to house, causing a short.
C5	1	9/10	0800	Stanford C51 – Lynn, C52 – P. Johnson, C52 – L. Johnson
C5	2	9/10	--	Removed trees from Sta 5 and started on Sta 6.

Unit	Order	Date	Time	Notes
C5	3	9/10	--	200+ 40 pound bags of ice ready for pick up at the Food Bank on Tarheel Drive.
C5	4	9/10	2343	Code II fire – 3500 Greenlawn – E11 E9 T11 R7 C52 C51 Car 1 Car 5. Used two 1 ½” lines to extinguish.
C5	1	9/11	0800	Perry C51 – Atkinson, C52 – Wall, C53 – Faison
C5	2	9/11	--	#6 and #10 clearing debris. One person from #5 driving truck.
C5	3	9/11	--	E5, E6, E14, E13, E9, T1, T8, R6 in territory assisting city crews with clean-up in sectors B, C, D.
C5	4	9/11	--	Power restored at #8
C5	5	9/11	--	All vacations/leave cancelled through the 18 <sup>th</sup> of September. BCs are to notify their personnel that they are needed to come in and work their scheduled shift days.
C5	6	9/11	--	#11 buzzer and trip lights 10-8.
C5	7	9/11	--	C-51 picked up 14 seconds of 2 ½”, three seconds of 1 ½”, nozzle, hydrant wrench, and reducer from Al Smith Buick, located at #9.
C5	8	9/11	--	Approx. 200 bags of ice available to Raleigh FD at Food Bank.
C5	9	9/11	--	Station 6 has C-198 pager to use for tone out due to no phone.
C5	1	9/12	0800	Capps C51 – R. Styons, C52 – T. Styons, C53 – Woodlief
C5	2	9/12	--	All shift vacations cancelled, except M. R. Townsend, could not contact.
C5	3	9/12	--	Eng 1-13-5 T-1 Eng 14 T-8 E-6 R-6 E-18-9-16 T-15 E-7-12 10-8 in territory cleaning up debris.
C5	4	9/12	--	Fire Olympic games are cancelled
C5	1	9/13	0800	Perry C51 – Atkinson, C52 – Wall, C53 – Harris
C5	2	9/13	--	Picked up hose from Harris Teeter at Glenwood Village.

Unit	Order	Date	Time	Notes
C5	3	9/13	--	E11, T15, R6 went to Lassiter Mill with Commander Gattis to search for victim.
C5	4	9/13	--	Fire companies in territory to assist w/clean-up. E1, E13, T1, E5, E6, E7, T8, E9, E10, E12, E15.
C5	5	9/13	--	E16 T16 working on tree and debris removal at #16 with Chief Lane.
C5	1	9/14	0800	Capps C51 – R. Styons, C52 – T. Styons, C53 – Woodlief
C5	2	9/14	--	Chief R. Styons to Lassiter's Mill Park, Crabtree Creek, to coordinate search for drowning victim.
C5	3	9/14	--	RFD companies assisted in cleaning city parks in a.m. and p.m.
C5	4	9/14	--	Called Chief Lane about middle door Sta 1 not working.
C5	5	9/14	--	Code II fire – 745 Powell Drive – E8, 20, T8, R6, C53.
C5	1	9/15	0800	Stanford C51 – Lynn, C52 – P. Johnson, C53 – L. Johnson
C5	2	9/15	--	All "C" shift vacation cancelled due to hurricane.
C5	3	9/15	--	All companies in the territory helping to clean up city parks, a.m. and p.m.
C5	1	9/16	0800	Capps C51 – R. Styons, C52 – T. Styons, C53 – Woodlief
C5	2	9/16	--	Haz-mat – E2, HM20, C52, C53, C5 – Approx. 350 gallons sodium hydroxide spilled on Interstate 40 from Hoke and Hammond to Jones Sausage Road. Environ-Chem called for clean-up.
C5	1	9/17	--	Code III – Meredith College – E5, E8, T8, C52, R6 on first alarm. E14, E6, T1, C53 on second alarm. C5, SR 5. Cause determined as electrical short
C5	2	9/17	0800	Stanford C51 – Lynn, C52 – P. Johnson, C53 - Walters
C5	1	9/18	0800	Perry C51 – Atkinson, C52 – Wall, C53 – Harris

Unit	Order	Date	Time	Notes
C5	2	9/18	--	Eleven fire companies assisted or attempted to assist city crews with clean-up and debris removal.
C5	1	9/19	0800	Stanford C51 – Lynn, C52 – P. Johnson, C53 – L. Johnson
C5	2	9/19	--	The body of the teenager was found in Lassiter Mill Park and recovered.
C5	3	9/19	1814	E8, T8, R6, HM20, C53 responded to a hazardous material in the creek of Landmark behind the Meredith Village Townhomes. It was reported and observed that a sewer manhole was stopped up and flowing into the creek and a pond and had killed some fish. We observed that the fish had been dead for some time. We noticed other gasping for air. It was concluded that the fish died from a lack of oxygen created by all the rains we have had lately.
C5	4	9/19	1920	Code II – 500 Branch Street – E3, E1, T1, C52, R7, C5 – Used 1 ½” line to extinguish.
C5	1	9/20	0800	Perry C51 – Atkinson, C52 – Wall, C53 – Harris
C5	2	9/20	--	Mini 3 in service.
C5	3	9/20	--	Clean-up at #7 completed.
C5	4	9/20	--	Resume normal operations on 9/23 including vacations.
C5	1	9/21	0221	Code II house fire – 2209 Rumson Road.
C5	2	9/21	0457	Code II house fire – 21 Enterprise
C51	1	9/6	0800	Capt. Warren on duty A shift personnel called in for relief. B shift stayed on duty until they could be replaced.
C51	2	9/8	--	"Any City employee has permission to use the showers at any fire station."
C51	3	9/8	--	"Anyone needing water can attain it from any fire station."

Unit	Order	Date	Time	Notes
C51	4	9/8	--	"Four firefighters taken to Rex ER from fire on Bayberry Street Capt. G. R. Bagwell - Heat exhaustion & [back?] W. V. Watson - Heat exhaustion R. J. Guidi - Heat exhaustion M. E. Kemmeries - Heat exhaustion  All personnel returned to duty w/exception of M. E. Kemmeries, who went home."
C51	2	9/10	--	C-51 & E-9 to Lassiter Mill to walk creek bank looking for drowning victim.
C51	3	9/10	--	E-9, 11, 19, 4, 15, T-11, [T-]15 cutting trees on street.
C51	4	9/10	2343	C-53 E-9, 11, T-11, R-7 responded to Greenlawn Way, Code II house fire.
C51	1	9/12	1000	Eng-11, Trk-16, & R-6 assisting RPD with searching Lassiter Mill Creek bank.
C51	2	9/12	--	Police Fire Olympics have been cancelled.
C51	1	9/14	--	Eng 9 assigned to cleanup duties at Optimist Park. Eng 15 & Truck 15 assigned to Millbrook Exchange Park.
C51	2	9/14	--	Truck 11 assisting RPD with search operations at Lassiter Mill.
C51	3	9/14	--	Car 51 is to meet with RPD at the old mill each day at 0900 until further notice.
C51	1	9/16	--	Capt. Richards documented minor damage done to the left spotlight of E-11. No one knows when the damage occurred. Possible storm damage. C-5 & [C-]3 notified.
C51	2	9/16	0900	C-51 attended meeting at Lassiter Mill. Res-6 stood by assisting with search operations.
C51	1	9/19	1400	C-51, T-16, R-6 and RPD units recovered body from Crabtree Creek.
C51	1	9/21	--	RFD units are patrolling areas in the city where phone service is out. The areas in District 51 are as follows. Area 1 (Six Forks, Lakemont, N.Wood & Rowan). Area 2 (Beltline, Glenwood, St. Mary's, & Lassiter Mill). These areas will be patrolled 24 hours a day.

Unit	Order	Date	Time	Notes
C51	1	9/23	--	Continued 24 hour neighborhood patrol.
C52	1	9/5	--	Mini 3 to Station 1 manned by D. L. Brown & _ McGee because of Hurrican Fran.
C52	1	9/5	--	Mini 3 disabled on Wake Forest at Georgetown
C52	1	9/5	--	E-5 struck overhead door bending door panel and damaging rear warning light
C52	1	9/5	--	T-1 struck overhead door. Damage to door panel, none to truck.
C52	2	9/6	--	Spare portable radio batteries were given to Eng-7, Eng-10, Eng. 13.
C52	3	9/6	--	Mini 3 towed to Station 2 for repairs.
C52	4	9/6	--	Portable generator from T-1 given to Cecil (radio shop) for communications system.
C52	5	9/6		Code 2 apartment fire 1834 Cantwell Ct., E-7, E-3, T-1, C-52, C-5, SR-5, R-7, RPD.
C52	1	9/8	--	FF Daniel Gardner was injured with cuts to the face and hands at Station 5 while opening the overhead door. He was transported by EMS to Wake.
C52	2	9/8	--	Citizen complaints: 1 - 511 E. Martin - Odor and flooding in apartments. Turned over to RPD, Hinson at command post. E-3, C-52. 2 - Candles at University Towers - E-5 advised all occupants of safe use, RAs [were] advised, alarm system 10-8.
C52	3	9/8	--	Station 12 still without power.
C52	4	9/8	--	Chief Lane, Stanford, T-1 helped remove tree from roof at Station 10.
C52	1	9/9	--	From C-2 - Uniform [to be worn] through 9/13, RFD tees & wash 'n' wear pants.
C52	1	9/10	0018	E3, E1, T1, R7, C52 to Code II at 706 E. Lenoir St., Ligon Middle School. Fire in science lab.

Unit	Order	Date	Time	Notes
C52	2	9/10	--	Called Donna Jackson [at] Public Utilities about having to boil water at Station 10. Capt. Brown had relayed to Capt. Lester that [the] young girl who usually tests water at stations stated to boil water. Donna Jackson requested a description of girl so she could talk to her about saying to boil water. She (the girl) was checking chlorine levels and stated to Capt. Lester to log that water is OK.
C52	3	9/10	1610	Station 12 power restored 1610 hours.
C52	4	9/10	1700	Station 5 partial power 1700?
C52	5	9/10	--	Picked up chainsaw supplies from Wilson's outdoor equip.
C52	1	9/12	--	E-5-7-12-1-13 T-1 in territory assisting with clean-up.
C52	2	9/12	--	Toughest firefighter challenged channeled.
C52	3	9/12	--	Sta 5 has cell phone from Fire Prevention
C52	1	9/13	--	E-1, E-13, E-5, E-7, E-12, T-1 in territory for debris clean up.
C52	2	9/13	--	Two new telephones to #5, phones 10-8.
C52	3	9/13	--	Delivered memo on debris disposal sites.
C52	1	9/14	--	Overhead door Sta 1 middle bay not working.
C52	2	9/14	--	E-1-13-3-5-T-1 participated in park clean-up detail.
C52	3	9/14	--	Code II house fire, 745 Powell Drive, E-13 to Sta 8 fill in.
C52	4	9/14	--	Delivered chainsaw oil to R-7.
C52	1	9/15	--	All stations on clean-up duty.
C52	2	9/15	--	Extra wood cutting chain to T-1
C52	1	9/16	1039	Haz-mat on Beltline, five mile spill of sodium hydroxide, closed Beltline and I-40 from 1100 to 2150. C-52 in command. E-2, HM20, RPD, SHP, DMV, DOT.
C52	1	9/17	0511	Code III fire. Meredith College. Heilman Dormitory. E-5-8-T8-R-6-C-52. Extinguished fire with 1 1/2s.

Unit	Order	Date	Time	Notes
C52	2	9/17	--	"If anything else happened, I don't know what it was."
C52	1	9/19	--	Broadway VFD and Brown Tree Company were shown neighbor[hood]s that needed help and left bills for tree removal.
C52	1	9/21	1580	Order from Asst. City Mgr. Carter – Man equipment and patrol areas without phone service. District 2 area: Oakwood – New Bern – Hill – Tarboro – Mini 3 on patrol until further notice.
C52	2	9/21	0457	E5, E6, T1, R6, C52 to 21 Enterprise. E5 10-23 reported basement fully involved. E13 & T8 called for manpower. E11 eventually called for manpower. 2 minor injuries, transported to Wake ER.
C52	1	9/22	--	Mini 3 and C-198 on phone patrol.
C53	1	9/5	--	All equip topped off with fuel, all power equipment checked out.
C53	2	9/5	--	Mini pumpers 3, 9, & 17 manned with two personnel during potential incriminate weather.
C53	1	9/6	--	Due to hurricane damage only about 50% of personnel were able to report for duty at 0800. A-shift was called in to increase manpower and maintain all equipment 10-8.
C53	2	9/6	--	The only stations to regain electrical power during the shift duty were 17 & 18. Sta 6 & 17 were without phone service until approx.. 1700 hours. Due to the number of related calls [throughout the] day, adequate information to complete run reports was not always obtained.
C53	1	9/7	--	Equipment check postponed until next Saturday.
C53	2	9/7	--	Exchanged one of Engine 14s defib batteries with 17 due to lack of power.
C53	3	9/7	--	Without power – Station 6, 8, 14. Without phone – Sta 6.
C53	4	9/7	--	Damage to mini-pumper on 9/5. Manhole cover washed away by hurricane, 17s front left wheel fell in hole causing damage to left fender. Accident report written.
C53	5	9/7	--	Checked Rescue 6 for damage from tree falling on it. No body damage, some scratches that should come off with wax. No report written.

Unit	Order	Date	Time	Notes
C53	6	9/7	--	Check all stations for storm damage, authority Chief Lane: 6 – Tree and limbs, none to building. 8 – Trees on fringe of property. 14 – Roof, due to limbs. Leaks around bathroom vents. Trees in front yard, one leaning that needs to be taken down. 17 – One tree 18 – Radio antenna
C53	7	9/7	--	Car 53's second walkie talkie on loan to Car 51. Both of his not working. SR5 has no spares left for loaners.
C53	8	9/7	--	Sta 6 using extra generator from Services to power ice machine. Too late, most of ice melted, rest was delivered to District 3 stations without power by Car 53.
C53	9	9/7	--	Went to Wake ER to check on injured firefighter Daniel Gardner (Sta 5) and pick-up FF Pope who rode in EMS with Gardner. Gardner injured from falling glass from roll-up door at Sta 5.
C53	1	9/8	--	E-14 regained electrical power in the afternoon.
C53	2	9/8	2000	Code II house fire, 5800 Bayberry Ln. E16, 18, T16, R6, C53. E17, 14, R7 on second alarm. House struck by lightning and fire contained to attic. G. R. Bagwell and V. Watson fell from collapsed attic ladder and were treated and released from Rex ER. M. F. Kemmeries, D.B. Price, and R. J. Guidi were treated at Rex for heat exhaustion. Guidi and Price returned to work, Kemmeries went home.
C53	3	9/8	--	Car 51 returned borrowed walkie talkie to Car 53 and it is broken. Will not transmit or receive.
C53	4	9/8	0200	Sta 20 has power and phone service as of 0200, 9/8.
C53	1	9/9	--	Uniform of the day from now through Friday 9/13 is fire department tee shirt and uniform pants and shoes.
C53	2	9/9	--	Wed. – Thur. – Fri. – Come to work prepared to operate on cleanup of streets with other city crews between 1300 hours and 1600 hours. Any dress is OK as long as you wear fire department tee shirt.
C53	3	9/9	--	Survey of roofs of stations for damage. #18 antenna (repeater) on roof with no damage to roof. All others are ok!
C53	1	9/10	0024	Car 53 to Code II fire, 706 E. Lenoir St.

Unit	Order	Date	Time	Notes
C53	2	9/10	0232	C-53 to Code II structure fire at 4820 Creedmoor Road. Assist C-5, C-52, Six Forks, Durham Highway.
C53	3	9/10	1300	All units working on tree removal in territory.
C53	4	9/10	--	Sta 6 got power on bldg. in a.m.
C53	1	9/11	--	Sta 6 notified, they have authority to distribute ice from Sta 6 ice box to any family members of fire department personnel.
C53	1	9/12	--	Tee shirts & work pants uniform of the day.
C53	2	9/12	1600	Sta 6 telephones working but ring-down lane is still dead.
C53	3	9/12	--	All companies in territory assisting with debris removal.
C53	1	9/14	--	All equipment in territory checking for blocked hydrants or other problems.
C53	2	9/14	--	E14 a.m., E17 p.m. to Glen Eden Park to assist with clean-up.
C53	1	9/15	0900	E14, T8, R6 assisting with hurricane clean-up
C53	2	9/15	1200	E6, E17, R6 to Laurel Hills Park for hurricane clean-up.
C53	3	9/15	1400	E18, E8, T8 to Laurel Hills Park for hurricane clean-up.
C53	4	9/15	--	Rescue 6 chain saw broke and was carried to services.
C53	1	9/16	0430	C53 on second alarm to Meredith College, Code III.
C53	1	9/19	--	Picked up three chains for sharpening from Mini-17.
C53	1	9/21	--	Inspected all equipment. All companies need waxing to remove scratches from hurricane.
C53	2	9/21	--	Mini 17 in Brookhaven riding until 2200 hours (no phones). Rubens in at 2200 until 0600. W. M. Wortham 1400 till 1730, Marshburn 1730-2200.
Sta 1		9/5	1426	E13 received 7 gallons of fuel E1 received 17 gallons of fuel
Sta 1		9/5	2000	From 2000 to 2399 – 14 calls

Unit	Order	Date	Time	Notes
Sta 1		9/6	0800	Call back for A shift for hurricane put in effect from C-4.
Sta 1		9/7	0240	T-1 portable generator on loan to radio shop. C-3 ok.
Sta 1		9/9	1132	One 2 ½" to 1 ½" adapter, six sections of 1 ¾" hose and one 1 ½" nozzle taken by C-5 from E-30.
E2		9/5	1327	Tornado watch in effect for entire state of NC.
E2		9/5	2327	E2 to 116 Gilbert St. Wire down. Tree fell on house and electrical service [line] to outside building.
E2		9/6	0030	Station electrical power out at 12:30 a.m.
E2		9/6	0517	E2 to 1702 S. Wilmington St. – Flooded building. Overflow shelter. Everyone had been moved to the Montgomery Green building, authority manager.
E2		9/6	0648	E2 to 100 City Farm, request for service. Rescued lady on van top and man with stalled truck in flooded median of Wilmington Street.
E2		9/6	0900	Cracked driver's side mirror against a tree limb coming back from call. The tree was lying in the street on Carolina Pines and just cut just enough to allow a medium size personal automobile to pass through.
E2		9/6	0917	E-2 to 2706 Newbold. Subject pinned under tree. No pinned person found.
E2		9/6	1244	E2 to 1324 Lake Wheeler. Gas odor. Arrived 1256. Odor of gasoline in house, overturned gas can in crawl space.
E2		9/13	0942	2705 Newbolt Street – Hand caught in wood splitter.
Sta 3		9/5	1850	Mini 3 to Station 1 with T. McGee to stand-by during Hurricane Fran.
E3		9/5	2000	From 2000 to 2399 – 10 calls. From 0000 to 0800 – 8 calls.
E4		9/5	2020	E-4 to Six Forks and Baileywick. Tree across road. Removed tree with chain saw off Mini 9.
E4		9/6	0413	E-4 to 7111 Apt C. Long St. People trapped by water.
E4		9/6	0546	E-4 to 600 Newton Road. Evacuate senior center.

Unit	Order	Date	Time	Notes
E4		9/7	0800	Still no power.
E4		9/8	0800, after	All 220 volt breakers are turned off.
E4		9/8	1255, after	CP&L restored power to Sta 4.
E4		9/9	1204	Eng 4 to Sandy Creek & Newton, illegal burning. Subject using a portable grill in an unsafe manner. Put grill out and removed it from under the structure.
E5		9/6	0119	E-5 to 2721 Van Dyke Avenue. Tree on house.
E5		9/6	0539	E-5 to 5245 Dana Drive. Building collapse.
E5		9/9	1315	C3 delivered two trucks to load limbs, three chain saws
E5		9/9	1540	E5 to 125 Hawthorne. Wires down. Found live wires in back yard.
E5		9/9	1630	E5 to 1707 Park. Found live wires down.
E5		9/9	1755	E5 to 201 Groveland. Found live wires down.
Sta 5		9/10	0345	SR-5 to Sturbridge. Code II house fire.
E5		9/11	1320	E5 & SR5 in the territory helping street crews clear streets.
E5		9/13	1450	E5 to 2304 Hillsborough. Gas leak. Found gas line pulled from stove inside structure.
E5		9/13	1720	E5 to Lane & Glenwood. Line on truck. Found truck with wires across [it]. Stood by for CP&L.
E6		9/5	2155	E6 to 1308 Filmore St. Transformer fire. Tree on transformer. RPD on scene.
E6		9/6	1306	E6 to 1614. Diesel smell in air. Found underground tank in rear of 1904 Fairview.
E6		9/7	0915	E6 to 615 Lake Boone Trail. Semi truck hung on power line. Held up line with pike pole so truck could get out.
E6		9/7	1222	E6 to 2501 Midway Dr. Person fell off roof. Patient OK.

Unit	Order	Date	Time	Notes
E6		9/8	0048	E6 to 2017 Fairview Rd. Wires arcing at house. Called for CP&L. Stood by.
E6		9/8	1956	E6 to 1109 Tazwell. Medical alarm. Power [was restored]. Surge set off alarm. Nobody was home.
E6		9/11	0800, after	Car 51 delivered R. Hocutt helmet and set of keys found by citizen.
E6		9/15	0900	E6 to 3026 Randolph. Trash fire. Wood chips on fire. Used booster.
E6		9/16	2056	E6 to 2715 Lakeview Dr. High water. Moved brush to water would drain.
R6		9/5	--	Two calls: EMS and house fire.
R6		9/6	--	Four calls: 10-50 (2), house fire, "slim jim"
R6		9/7	--	One call: child locked in vehicle
R6		9/8	--	One call: "slim jim"
R6		9/9	--	Four calls: structure fire (false), house fire (working), child locked in vehicle (2)
R6		9/18	1400	R6 to shop to pick-up boat. It's out of service and not going to be repaired. Advise HQ and R7 of same.
E7		9/6	0946	1501 E. Lane Street. Fuel oil spill. Tree fell on oil tank puncturing.
E7		9/6	2334	1384 Cantwell Court. Apartment fire. Code II. Fire contained to second floor.
E7		9/7	--	T-11 brought generator from Sta 19 and a gas can from Sta 11.
E7		9/7	2200, after	Electrical power back on at #7 station.
E7		9/10	1648	New Bern Ave. & Raleigh Blvd. – Vehicles flooded. Roadway flooded, no vehicles trapped.
E7		9/13	2046	E7 to 205-D Cedar Street – Illegal cooking – Advised John Davis Apt. H. to remove grill from deck. He did so.

Unit	Order	Date	Time	Notes
E7		9/15	1411	Colleton Road & New Bern Ave. – Illegal burning – Subject at 120 Colleton burning limbs.
R7		9/5	--	R-7 received from Services one reg. chainsaw blade, and two bottles of two-cycle fuel mix.
R7		9/5	2131	South and Florence – Tree down, subject trapped. Searched area with E-13. No victim found.
R7		9/6	--	R-7 picked up rescue boat.
R7		9/6	0637	4501 Creedmoor Road. Difficulty breathing. Used boat to check on patient at Sheraton Crabtree. No transport given.
R7		9/6	0815	Reported to Noble Road and McNeil Street and assisted Engine 11 in locating someone in a flooded building.
R7		9/7	1515	Old Lassiter Mill. Drowning. R-7 assisted with searching for victim. No body recovered.
R7		9/12	1300	R7 assisting E7 and E12 cutting trees on Poole Road.
Sta 8				Log book missing.
E9		9/5	1900	Mini 9 put into service with Carpenter and Hicks.
E9		9/5		Computer was shut down while hurricane visiting.
E9		9/10	1400	E9 to Kershaw and Tyrell to remove trees from the roadway.
E9		9/10	2343	3500 Utica Drive – Code II house fire.
E9		9/12	1330	Capt. Cindy Rubens picked up hose from services used by businesses for clean-up. Also nozzle and hydrant wrench.
E9		9/13	1300	E9 out on clean up detail.
E9		9/14	0825	E9 10-76 Optimist and North Hills parks for cleanup detail.
E10		9/5	--	E-10 to #2 for fuel – 16 gallons.
E10		9/5	2212	2111 Tee Dee / Wire down on police unit.

Unit	Order	Date	Time	Notes
E10		9/6	0800	C shift on duty. E. J. Lester and E. Moore on duty. J. M. Ayscue and K. D. Harris in from A shift due to Hurricane Fran.
E10		9/6	1132	E-10 responded to 517 Bailey Street. Fuel spill. Unable to get to because of high water.
E10		9/6	1346	E-10 responded to Old Garner Road and Pineview. Tree on lines and lines down. Requested RFD and CP&L. Stood by. No one arrived.
E10		9/6	1449	E-10 responded to Old Garner Road and Pineview. Lines in road. Removed lines from road and placed on shoulder.
E10		9/9	1209	1405 Hazelnut. Lines down. Cablevision line. No action taken by E-10.
E10		9/10	1143	E-10 responded to 933 Cross Link Road. Water in basement. Advised to purchase pump.
E10		9/10	1225	E-10 responded to 417 Bailey Drive. Fuel spill. Storm turning over oil drum. Advised Wake County Public Safety. 1545 – From Car 42 and Donna Jackson (Public Utilities), water is okay. Do not have to boil
E10		9/12	--	Authority of C-52, the “toughest fire fighter challenge” has been cancelled.
E10		9/14	--	Cleaned out gutters.
E10		9/16	--	Services brought out a fish tape and we cleaned out drains on apparatus floor.
E11		9/5	--	Truck 11 received 18 gallons of fuel from Sta 2. Eng 11 received 27 gallons of fuel from Sta 16.
E11		9/6	0822	0822, 0838, 1005, 1158, 1217, 1226, 1230 – Consecutive gas leak calls.
Sta 11		9/11	0800	Checking off truck, we found a dent in the spotlight on passenger side.
E11		9/11	2000	E11 to 3200 Atlantic Avenue. Car trapped in water.
E12		9/5	1400	Eng 12 received 16 gals. fuel. Foam 12 received 19 gals. fuel.

Unit	Order	Date	Time	Notes
E12		9/6	1051, after	We evacuated people that were flooded on the dead end of Dacian Road with the assistance from Garner and their boats. Approximately 22 [people].
E12		9/6	1911	Received 22 gals fuel [at] #2.
E12		9/7	1835	1835, 1856, 2106 – Arcing wives on Carlise, Hawkins, and Beverly.
E12		9/9	--	Received 14 gallons gas for generator.
E14		9/5	2045	2045, 2057, 2205, 2233 – Tree down, consecutive calls
E14		9/6	0127	2700 Bedford – Tree on EMS. Large tree fell on EMS vehicle. Evacuated personnel and secured EMS unit and left it in place.
E14		9/6	0800	C shift – Dunn, Coppage, Guidi. Watson out (storm), Lee out (storm). 0815 – Kimbrell in for relief, call up. 0930 – Jeffries in for relief, call up. 1030 – Lee in. 1100 – Jeffries out.
E14		9/12	1103	E-14 to 2414 Wesville Court, smoke investigation. Cancelled by Headquarters. Smoke from leaf blower.
E14		9/12	1330	E-14 in territory to assist with clean-up.
E14		9/12	1621	E-14 to Myron and Lake Boone. Water main break.
T15		9/6	0359	T-15, E-19 to 8200 Litchford Road. Odor investigation. Evacuated personnel. Truck 15 arrived 0445. Found odor of gas, cut gas.
T15		9/6	0546	T-15, E-4 to 600 Newton Road. Evacuate personnel. Found water covering floor of lower level. T-15, two to four personnel assist to move patients to upper level.
E15		9/7	1530	E-15 to 6325 Falls of Neuse Road. Car fire. Fire out. Debris under car had caught on fire.
E15		9/7	1808	E-15, T-15 to 3912 Quail Hollow. House fire. Toaster had been left on with bread on top, [caught fire] after power had been restored. RPD office checking house for alarm carried everything outside.
E15		9/9	1055	E-15, T-15 to 6916 Justice Drive. Subject injured on roof. No trapped, cut finger.

Unit	Order	Date	Time	Notes
E15		9/9	2216	E-15 to King Grant and Falls of Neuse. 10-50 PI. Falls Fireman Alex Quist involved in 10-50 [while] responding to the Whittington Drive [gas leak] call. Notified EMS, who transported to R.C.H.
E15		9/12	--	T-15 has scratch on right side length of body, found while coming on duty.
E15		9/13	0014	E-15 to 8300 Old Deer Trail. Possible electrical line sparking.
E15		9/14	1207	E-15 to 8808 Antel Court. Brush fire. Subject burning brush, owner used garden hose to extinguish.
E15		9/15	0930	E-15, T-15 to Cedar Hills Park. Help clean up debris.
E15		9/15	0909	E-15 to 2008 Bason Court. Illegal burning. Subject burning trees and limbs. He used garden hose to extinguish.
E15		9/16	2040	E-15, T-15 to 909 Indian Trail. Smoke investigation. Owner had cut main off. We advised owner to contact electrician.
E15		9/16	2148	E-15, T-15, E-19 to 5808 D Nottoway Court. Apartment fire. Water heater had shorted out. Owner had turned breaker off. Used fan off E-15 to remove smoke [from two apartments].
E16		9/5	1130	Fuel truck received 310 gallons of unleaded gasoline from Station #2. Received 15 gal. in fuel truck tank.
E16		9/5	--	The National Guard unit here with the generator called a collect call back to their unit. Chief Lane said it was all right. Sgt. Ayers called Sgt. Chris Stevens.
E16		9/11	--	Received from Car 3 one Stihl chain saw (wood), six [units of] two-cycle engine oil.
E16		9/13	--	Received from Services, one file for chain saw.
E16		9/15	1100	Eng. 16 to North Hills Park to help Eng. 9 in clean up. 1430 – Eng. 16 back in station.
T16		9/15	1200	T-16 to Laurel Hills Park to help in cleaning debris. 1430 – T-16 back in station.
E16		9/17	2056	E14, 16, T16 to 2413 Still Forest. Apartment fire. Code II (Eng. 14).

Unit	Order	Date	Time	Notes
T16		9/19	1353	T-16 to Millstream and Lassiter Mill, special assignment. 1623 – T-16 cleared location.
E17		9/5	--	“HURRICANE FRAN”
E17		9/5	1535	Eng 17 to 4200 Pleasant Valley. Fire alarm. Look to Mini 9 [for report].
E17		9/5	1626	Eng 17 to 6270 Glenwood. Fire alarm. Swapped out for Mini 17.
E17		9/6	1800	Eng 17 went to Station 16 to cut tree off station.
E17		9/11	1400	Lawn mower gas can placed on M-17.
E17		9/18	0918	Body damage on front and a bend in the exhaust tail pipe found on M-17 while washing. C-53 notified.
E18		9/12	1300	To Station 16 to help with clean up.
E18		9/23	1600	Had street person try to use 411 information on telephone. Advised C-53 of what happened.
E19		9/12	2146	10-50 PI - E-19 to 4601 Capital Blvd. Man on motorcycle hit a car while running from police.
E20		9/6	0805	E-20 to South Saunders at the Beltline. Submerged vehicle. We checked and found that no one was in the vehicle.
E20		9/11	1423	E-20 to 3608 Swift. Request for service. Occupant has questions regarding condition of house. E-8 also stopped by.
E20		9/15	0320	E-20 to 745 Powell Drive. E-8 dispatched to smoke investigation and found Code II house fire.
E20		9/16	0424	E-20 to 2813 Isabella Drive. House fire. No fire. Resident said he must have seen a reflection in a window.
E20		9/18	0900	Cleaned woods behind #20. Also ditch at front of #20 to improve view to right when leaving station. Assisted by four personnel from #2, #5, #12, #18, and Bill and Chief Lane from Services.