

REPORT OF CHIEF OF FIRE DEPARTMENT.

To the Honorable Mayor and Board of Aldermen of the City of Raleigh:

GENTLEMEN:—I herewith submit my annual report as Chief of the Fire Department for the year ending February 28, 1906:

FIRE DEPARTMENT COMMITTEE—Ed. Hugh Lee, Chairman; Wm. Boylan, J. Sherwood Upchurch.

OFFICERS FIRE DEPARTMENT—Jno. W. Mangum, Chief; L. H. Lumsden, Assistant Chief.

CAPITAL HOSE CO., No. 3.

OFFICERS.

J. F. Jordan Foreman
 C. H. Betts Assistant Foreman
 L. D. Bagwell Hose Director
 Alex. Kreth Secretary and Treasurer

MEMBERS.

C. D. Arthur,	J. D. Mangum,
J. W. Cross,	C. N. Otter,
Hubert Horton,	R. C. Pool,
Ernest Hill,	Bud Pool,
Bennett Johnson,	C. Pool,
W. A. Linehan,	H. F. Smith,
R. D. Littel,	John Snuggs,
L. A. Mahler,	Frank Simpson,
F. W. Mahler,	Walter Woolcott,
Fred. Woolcott.	

HOSE WAGON AND EQUIPMENT—1 Two-horse hose wagon, 2 horses, 1 set double harness, 2 horse blankets, 9 pairs rubber boots, 9 rubber coats, 1 life belt, 2 lanterns, 3 nozzles, 3 noz-

zle holders, 3 ladder straps, 3 wrenches, 5 spanners, 1 hose jacket, 1 axe, 1,000 feet 2½ inch hose.

HOOK AND LADDER CO., No. 1.

OFFICERS.

E. B. Peebles Foreman
 John S. Wynne Assistant Foreman
 W. R. Macy Treasurer
 J. R. Watson Secretary

MEMBERS.

L. P. Brooks,	G. M. Mabry,
E. Y. Enniss,	H. C. Olive,
C. D. Farnen,	E. B. Parish,
G. M. Glenn,	W. A. Taylor,
E. A. Lassiter,	W. D. Terry,
P. M. Mangum,	W. C. Underhill.

HOOK AND LADDER WAGON AND EQUIPMENT—1 H. and L. truck, 2 horses, 1 set double harness, 2 horse blankets, 6 pair rubber boots, 6 rubber coats, 1 body belt, 1 50 inch rope, 3 axes, 1 crow-bar, 1 door-bar, 1 wire cutter, 1 tin cutter, 7 straight ladders, 12 inch to 35 inch, 1 extension ladder, 2 roof ladders, 2 scaling ladders, 2 ladder braces, 3 pipe poles, 2 rubber buckets, 1 nozzle, 1 3-prong fork, 2 pitchforks, 1 horse bucket, 2 halters, 1 curry comb, 2 horse brushes, 1 spade, 1 whip, 2 lanterns, 1 material basket, 1 broom, 2 chemical extinguishers, 2 acid boxes, 13 acid bottles, 13 packages soda, 1 hook chain.

BUILDING AND FURNISHINGS—W. Morgan Street, between McDowell and Salisbury. Two-story brick building with supply room in rear; 8 single iron beds, 8 mattresses, 22 blankets, 8 counterpanes, 24 sheets, 8 quilts, 16 pillows, 32 pillow slips, 8 towels, 11 chairs, 3 tables, 1 bucket, 6 cuspidors, 1 stove and fixtures.

RESCUE STEAM FIRE ENGINE Co., No. 1.

OFFICERS.

Sherwood Brockwell	Foreman
Gordan Harris	Assistant Foreman
T. W. Blake	Treasurer
Charles T. Himant	Secretary

MEMBERS.

C. J. Betts,	E. T. Hall, Jr.,
W. Z. Blake,	J. R. Haynes,
M. W. Crocker,	W. A. Jones,
J. S. Correll,	R. E. Lunsden,
E. S. Doolittle,	W. F. McDowell,
W. A. Faucett,	J. N. McRary,
W. B. Grimes,	C. B. Parks,
C. U. Harris,	S. P. Pennington,
W. C. Harris,	P. N. Pennington,
J. A. Himant,	J. F. Straughn,
W. C. White.	

HOSE WAGON AND EQUIPMENT—1 2-horse hose wagon, 2 horses, 1 set double harness, 2 horse blankets, 2 halters, 9 rubber coats, 4 pairs rubber boots, 5 ladder straps, 3 nozzles, 5 spanners, 2 hose jackets, 2 lanterns, 1 crow-bar, 1 axe, 1 pitchfork, 1 spade, 2 currycombs, 1 horse brush, 1 set extra wagon wheels, 1,000 feet 2½-inch hose.

BUILDING AND FURNISHINGS—Fayetteville Street, between Martin and Davie; two-story brick building, feed room in rear, 4 single iron beds, 16 sheets, 4 pillows, 8 pillowslips, 4 counterpanes, 4 comforts, 4 blankets, 4 chairs, 1 water cooler, 1 rake, 1 bucket, 1 sprinkling pot, 1 Monkey wrench, 2 brooms, 1 table, 4 benches, 1 stove and fixtures.

VICTOR HOSE Co., No. 2.

OFFICERS.

W. H. Palmer,	Foreman
June Kelley	Assistant Foreman
Chas. Winters	Treasurer
Stephen J. Hawkins	Secretary

MEMBERS.

J. J. Alstin,	Jas. Manley,
Ed. Chavis,	S. P. Mallett,
Chas. Chavis,	Joe Penney,
Mack H. Freeman,	J. T. Palmer,
John B. Freeman,	Henry Price,
John R. Haywood,	Sol G. Smith,
William Haywood,	R. S. Taylor,
S. B. Jeffers,	Robt. W. Watson,
Frank B. Killibru,	Jno. Warren.

HOSE WAGON AND EQUIPMENT—1 Two-horse hose wagon, 2 horses, 1 set double harness, 2 horse blankets, 9 rubber coats, 4 pair rubber boots, 2 nozzles, 5 spanners, 5 ladder straps, 2 axes, 2 lanterns, 1 bucket, 1 horse brush, 1 currycomb, 1,000 feet 2½ inch hose.

BUILDING AND FURNISHINGS—East Hargett Street, between Wilmington and Blount; two-story brick building; 4 single iron beds, 4 mattresses, 16 sheets, 8 pillowslips, 4 pillows, 4 spreads, 4 comforts, 8 blankets, 6 towels, 2 brooms, 1 pitchfork, 1 rake, 2 oil cans, 4 chairs, 1 table, 4 benches, 1 stove and fixtures.

FIRE ALARM SYSTEM.

Four circuit switch-board, 115 cells storage battery, 15 miles insulated copper wire, 12 miles No. 8 iron wire, 36 alarm boxes, 16 call bells (firemen's houses), 3 14-inch bells

(stables), 1 ball striker, 1 bell at Standard Gas and Electric Company's plant, 1 bell at Raleigh Electric Company's plant, 1 bell at Wake Water Company's Pump-house.

ENGINES.

One New "Metropolitan," No. 2; 1 Old Guard, 1 Old 400-gallon Chemical, 1 Old 200-gallon Chemical, 1 Old Victor hand.

MEMBERS "METROPOLITAN" STEAM FIRE ENGINE, NO. 2.

W. H. BrewerEngineer
 W. W. FlowHelper
 Robt. WarnerHelper
 Pete WelchHelper
 A. G. GreenHelper

We have in all 3,800 feet 2½-inch cotton hose, of which 3,000 is carried on the three hose wagons, leaving 800 feet in reserve. Also one extra horse that is used as a relief and by the Chief.

IMPROVEMENTS.

Have added supply room to Capital and Hook and Ladder house, and put in granolithic floor for new Metropolitan Engine.

- Painted and repaired roof at Rescue Fire Engine house.
- Run one mile No. 12 insulated copper wire.
- Set one alarm box, No. 432.
- Set and replaced several brackets, arms, etc.

WATER PROTECTION.

There is 137 public and 31 private double nozzle 2½-inch hydrants—all in first-class condition—and the pressure varies from 48 to 75 pounds domestic and from 65 to 110 direct.

RECOMMENDATIONS.

I would recommend that the gongs in the stables be changed to indicators, as this would enable the drivers to be absolutely certain to catch the right box.

When these gongs were put in we only had 12 boxes, and now there are 36, just three times as many.

I think each hose wagon should carry two 5-gallon chemical extinguishers, and one 10-foot hook and one 12-foot straight ladders.

I would also recommend that the city sell the old engines and buy a one-horse combination chemical wagon.

All of the buildings should be painted, as they are in need of it very much. Also to overhaul each wagon.

FIRE LOSSES.

The property burned amounts to	\$47,579.75
The amount of insurance paid	47,244.75
	335.00
Net loss	\$ 335.00

Attached hereto and made a part of this report is a table of fires. (See table.)

You will note that the department has answered over twice as many alarms in the past twelve months as in any previous year.

In closing this report I wish to thank the Board, Fire Committee and each member of the department for courtesies toward me and the department.

Respectfully submitted,

JNO. W. MANGUM,
 Chief Raleigh Fire Department.

NUMBER AND LOCATION OF FIRE HYDRANTS.

PRIVATE FIRE PROTECTION.

<i>Number.</i>	<i>Location.</i>
1	double hydrant, Mills Manufacturing Company.
4	double hydrant, Yard of S. A. L. Ry. Company.
1	three-nozzle hydrant, Johnson St., S. A. L. Ry. Company.
3	double hydrants, Lower Cotton Platform S. A. L. Ry. Company.
1	double hydrant, Cotton Compress S. A. L. Ry. Company.
5	double hydrants, Pilot Cotton Mills.
3	double hydrants, Raleigh Cotton Mills.
3	double hydrants, Baker-Thompson Lumber Company.
1	double hydrant, J. H. Gil's Foundry.
1	double hydrant, Raleigh Ice and Electric Company.
2	double hydrants, Southern Railway Company, Cotton Platform
2	single hydrants, N. C. Building and Supply Company.
2	double hydrants, N. C. Cotton Seed Oil Company.
1	double hydrant, Carolina Ice Company.
1	double hydrant, Raleigh Iron Works.

Total number of hydrants for private fire protection: Double nozzle, 28; single nozzle, 2; three nozzle, 1. Total, 31.

PUBLIC FIRE PROTECTION.

<i>Number.</i>	<i>Location.</i>
1	double hydrant, S. E. cor. McKee St. and Fayetteville Road.
2	double hydrant, N. E. cor. Hunter St. and Fayetteville Road.
3	double hydrant, N. E. cor. S. Wilmington and Smithfield Sts.
Extension,	double hydrant, angle of Worth, Manly and Railroad Sts.
4	double hydrant, N. W. cor. Blount and Smithfield Sts.
5	double hydrant, N. W. cor. Worth St. and Fayetteville Road.
Extension,	double hydrant, N. E. cor. Worth St. and S. Bloodworth St.
Extension,	double hydrant, extension of W. South St.
6	double hydrant, N. W. cor. W. South St. and S. Harrington St.
7	double hydrant, N. E. cor. W. South and S. McDowell Sts.
8	double hydrant, W. South St. at intersection of Manly St.
9	double hydrant, N. W. cor. W. South and Fayetteville Sts.
10	double hydrant, N. E. cor. E. South and S. Wilmington Sts.
11	double hydrant, N. W. cor. E. South and S. Blount Sts.
12	double hydrant, N. E. cor. Fayetteville and Lenoir Sts.
13	double hydrant, S. E. cor. E. Lenoir and S. Wilmington Sts.
14	double hydrant, N. E. cor. E. Lenoir and S. Bloodworth Sts.
15	double hydrant, S. E. cor. S. West and W. Cabarrus Sts.
16	double hydrant, S. W. cor. S. Harrington and W. Cabarrus Sts.
17	double hydrant, N. W. cor. S. Dawson and W. Cabarrus Sts.

18	double hydrant, N. E. cor. S. McDowell and W. Cabarrus Sts.
19	double hydrant, N. W. cor. S. Salisbury and W. Cabarrus Sts.
20	double hydrant, N. W. cor. Fayetteville and W. Cabarrus Sts.
21	double hydrant, N. E. cor. S. Blount and E. Cabarrus Sts.
22	double hydrant, N. E. cor. S. Person and E. Cabarrus Sts.
23	double hydrant, N. W. cor. S. Bloodworth and E. Cabarrus Sts.
24	double hydrant, N. E. cor. S. East and E. Cabarrus Sts.
Extension	double hydrant, N. E. cor. Watson and E. Cabarrus Sts.
25	double hydrant, N. E. cor. S. Harrington and W. Davie Sts.
26	double hydrant, N. W. cor. S. Dawson and W. Davie Sts.
27	double hydrant, S. E. cor. S. McDowell and W. Davie Sts.
28	double hydrant, N. E. cor. S. Salisbury and W. Davie Sts.
29	double hydrant, N. E. cor. Fayetteville and E. Davie Sts.
30	double hydrant, N. E. cor. S. Wilmington and E. Davie Sts.
31	double hydrant, N. E. cor. S. Blount and E. Davie Sts.
32	double hydrant, N. E. cor. S. Person and E. Davie Sts.
33	double hydrant, N. W. cor. S. Bloodworth and E. Davie Sts.
34	double hydrant, N. E. cor. S. East and E. Davie Sts.
35	double hydrant, cor. E. Davie, near Watson St.
36	double hydrant, N. E. cor. S. West and W. Martin Sts.
37	double hydrant, N. W. cor. S. Harrington and W. Martin Sts.
38	double hydrant, N. W. cor. S. Dawson and W. Martin Sts.
39	double hydrant, S. E. cor. S. McDowell and W. Martin Sts.
Extension,	double hydrant, N. W. cor. S. Salisbury and W. Martin Sts.
40	double hydrant, S. W. cor. Fayetteville and W. Martin Sts.
41	double hydrant, N. E. cor. Fayetteville and E. Martin Sts.
42	double hydrant, S. E. cor. S. Wilmington and E. Martin Sts.
43	double hydrant, S. E. cor. S. Blount and E. Martin Sts.
44	double hydrant, N. E. cor. S. Bloodworth and E. Martin Sts.
45	double hydrant, S. E. cor. S. East and E. Martin Sts.
46	double hydrant, E. Martin Street Extension.
Extension,	double hydrant, N. W. cor. E. Martin and S. Swain Sts.
Extension,	double hydrant, N. E. cor. W. Hargett St. and Boylan Ave.
47	double hydrant, N. E. cor. S. West and W. Hargett Sts.
38	double hydrant, N. E. cor. S. Dawson and W. Hargett Sts.
49	double extension, S. E. cor. S. McDowell and W. Hargett Sts.
50	double hydrant, N. E. cor. S. Salisbury and W. Hargett Sts.
51	double hydrant, S. E. cor. Fayetteville and W. Hargett Sts.
52	double hydrant, N. E. cor. Fayetteville and Exchange Place.
53	double hydrant, N. E. cor. Fayetteville and E. Hargett Sts.
54	double hydrant, N. W. cor. S. Wilmington and E. Hargett Sts.
55	double hydrant, S. E. cor. S. Wilmington and E. Hargett Sts.
56	double hydrant, Wilmington St., back of Market House.
57	double hydrant, N. E. cor. S. Blount and E. Hargett Sts.
58	double hydrant, N. E. cor. S. Person and E. Hargett Sts.
59	double hydrant, N. W. cor. S. Bloodworth and E. Hargett Sts.
60	double hydrant, N. E. cor. S. East and E. Hargett Sts.

Extension, double hydrant, N. W. cor. Swain and E. Hargett Sts.
 61 double hydrant, S. E. cor. S. West and W. Morgan Sts.
 62 double hydrant, N. W. cor. S. Dawson and W. Morgan Sts.
 63 double hydrant, S. E. cor. S. McDowell and W. Morgan Sts.
 64 double hydrant, N. W. cor. S. Salisbury and W. Morgan Sts.
 65 double hydrant, S. W. cor. Fayetteville and W. Morgan Sts.
 66 double hydrant, S. E. cor. S. Wilmington and E. Morgan Sts.
 67 double hydrant, S. E. cor. S. Blount and E. Morgan Sts.
 68 double hydrant, S. E. cor. S. Person and E. Morgan Sts.
 69 double hydrant, S. E. cor. Boylan Ave. and Hillsboro St.
 70 double hydrant, Hillsboro St. at intersection of Saunders St.
 71 double hydrant, S. E. corner S. West and Hillsboro Sts.
 72 double hydrant, N. E. cor. N. Harrington and Hillsboro Sts.
 73 double hydrant, N. E. cor. N. Dawson and Hillsboro Sts.
 74 double hydrant, N. W. cor. N. McDowell and Hillsboro Sts.
 75 double hydrant, N. W. cor. N. Salisbury and Hillsboro Sts.
 76 double hydrant, S. E. cor. S. Wilmington St. and Newbern Ave.
 77 double hydrant, N. W. cor. N. Blount St. and Newbern Ave.
 78 double hydrant, N. E. cor. N. Person St. and Newbern Ave.
 79 double hydrant, N. W. cor. N. Bloodworth St. and Newbern Ave.
 80 double hydrant, N. E. cor. N. East St. and Newbern Ave.
 81 double hydrant, Newbern Avenue Extension.
 82 double hydrant, N. E. Harrington and W. Edenton Sts.
 83 double hydrant, N. E. McDowell and W. Edenton Sts.
 84 double hydrant, N. W. cor. N. Salisbury and W. Edenton Sts.
 85 double hydrant, N. E. cor. Halifax and E. Edenton Sts.
 Extension, double hydrant, N. E. cor. N. Blount and E. Edenton Sts.
 Extension, double hydrant, N. W. cor. N. Person and E. Edenton Sts.
 86 double hydrant, N. East St., intersection of E. Edenton St.
 87 double hydrant, S. E. cor. Sanders and W. Jones Sts.
 Extension, double hydrant, S. E. cor. N. West and W. Jones Sts.
 88 double hydrant, N. E. cor. N. Harrington and W. Jones Sts.
 89 double hydrant, N. E. cor. N. Dawson and W. Jones Sts.
 90 double hydrant, N. E. cor. N. McDowell and W. Jones Sts.
 91 double hydrant, N. W. cor. N. Salisbury and W. Jones Sts.
 92 double hydrant, N. E. cor. Halifax and E. Jones Sts.
 93 double hydrant, S. W. cor. N. Blount and E. Jones Sts.
 94 double hydrant, N. E. cor. N. Person and E. Jones Sts.
 95 double hydrant, N. E. cor. N. Bloodworth and E. Jones Sts.
 96 double hydrant, S. E. cor. N. East and E. Jones Sts.
 Extension, double hydrant, N. E. cor. Elm and E. Jones Sts.
 97 double hydrant, S. E. cor. N. Harrington and W. Lane Sts.
 98 double hydrant, N. E. cor. N. McDowell and W. Lane Sts.
 99 double hydrant, Lane St., between Salisbury and McDowell Sts.
 100 double hydrant, S. E. cor. N. Salisbury and W. Lane Sts.
 101 double hydrant, N. W. cor. Halifax and W. Lane Sts.
 102 double hydrant, S. W. cor. N. Blount and E. Lane Sts.

103 double hydrant, S. E. cor. N. Person and E. Lane Sts.
 Extension double hydrant, S. E. cor. Saunders and W. North Sts.
 104 double hydrant, N. E. cor. N. West and W. North Sts.
 105 double hydrant, W. North, intersection of Harrington St.
 106 double hydrant, N. E. cor. N. Dawson and W. Lane Sts.
 107 double hydrant, S. E. cor. N. McDowell, intersection of Lane St.
 108 double hydrant, N. E. cor. Halifax and E. North Sts.
 109 double hydrant, N. E. cor. N. Wilmington and E. North Sts.
 -0 double hydrant, N. E. cor. N. Blount and E. North Sts.
 111 double hydrant, S. E. cor. N. Person and Oakwood Ave.
 Extension, double hydrant, N. W. cor. N. East and Oakwood Ave.
 112 double hydrant, Halifax St., between North and Johnson Sts.
 Extension, double hydrant, S. W. cor. Tucker and Saunders Sts.
 Extension, single hydrant, N. E. cor. Johnson and Saunders Sts.
 113 double hydrant, Johnson St., near S. A. L. Ry Yard.
 114 double hydrant, N. E. Halifax and Johnson Sts.
 115 double hydrant, N. E. cor. N. Blount and Polk Sts.
 116 double hydrant, S. E. cor. N. Person and Polk Sts.
 117 double hydrant, S. E. cor. N. Bloodworth and Polk Sts.
 Extension, double hydrant, S. W. cor. Polk and Elm Sts.
 118 double hydrant, S. E. cor. Halifax and W. Peace Sts.
 119 double hydrant, Peace St., at intersection of Wilmington St.
 120 double hydrant, S. E. cor. N. Blount and E. Peace Sts.
 Total number of fire hydrants controlled and paid for under contract with City of Raleigh, 137.

N. B.—Number indicates hydrants on original mains, 120; extensions ordered by city, 17. Total, 137.

RECORD OF FIRES FROM MARCH 1, 1905, TO FEBRUARY 28, 1906.

Number.	Date.	Time.	Box.	Street and Number.	Owner.	Occupant.	Cause.	Damage.	Insurance Paid.	Remarks.
1	1905									
1	Mar. 5	3 15 a m	245	408 Smithfield	Mrs. Harris-	Mrs. Sanders	Sparks	\$200 00	No ins.	Out town
2	9	10 15 a m	31	So. Ry. cotton platf	Southern Railway Co.					Out town
3	9	4 10 a m	26	402 Morgan	Mrs. A. Syme	Clem Clements	Def. flue			Out town
4	13	11 00 a m	Still							False
5	16	4 30 a m	47	S. A. L. cotton platform	S. A. L. Railway Co.					False
6	19	12 55 a m	17							False
7	22	3 20 a m	16	411 Elm	Mrs. Dodd	Mrs. Dodd	Def. flue			False
8	25	3 25 a m	12							False
9	25	5 00 p m	25							False
10	April 8	1 15 a m	31	100 North	Mrs. Womble	W. Evans	Def. flue			False
11	8	1 20 a m	24	East		N. Hawkins	Def. flue			False
12	11	10 20 p m	Still							False
13	16	9 15 p m	114	114 Polk	Dunn	J. Austin				
14	16	12 30 p m	34	100 Worth						
15	19	12 30 p m	27	Cabarrus						
16	23	11 30 a m	29	117 1/2 Hargett	T. L. Love	C. Cardwell	Lamp expl.	\$43 00	\$43 00	False
17	23	7 30 p m	18	308 Edenton	R. S. White	R. S. White	Def. flue			
18	28	6 45 p m	21	308 Morgan	W. C. Holman	W. C. Holman	Lamp expl.			
19	30	7 50 p m	17							
20	May 8	1 35 a m	31	425 Dawson	T. K. Jones	T. K. Jones	Hay in loft	\$6,185 00	\$6,185 00	Direct pressure
21	9	10 20 a m	17	329 Harrington	Standard Oil Co.	Standard Oil Co.	Incendiary	\$150 00	\$150 00	False
22	20	2 30 a m	41-4	Bledsoe Ave.	T. B. Crowder	Eta Dunn				
23	21	2 00 a m	25	Hillsboro	Wm. Harris	Wm. Harris				
24	June 9	8 20 a m	Still							
25	25	9 45 a m	81	311 Dawson	S. A. L. Railway Co.	Hillsboro bridge				
26	10	12 00 m	23		N. A. Spence, Sr.	J. A. Spence	Sparks			
27	11	3 40 a m	11	116 Wilmington	Com. & Farmers Bank	Com. & Farmers Bank	Def. flue			
28	19	13 7 03 p m	43	J. Daniels	J. Daniels	Tom Sandford	Sparks			
29	19	4 00 p m	24	579 Lenoir	W. B. Grimes	R. Giersch	Def. flue			Out town
30	31	9 20 p m	32	216 Fayetteville	B. Cameron	Stables				
31	31	4 50 p m	82	Hillsboro						
32	Aug. 31	4 50 p m	115	115 Johnson	T. S. Stone	T. S. Stone	Def. flue	\$4 00	\$4 00	
33	15	11 2 52 a m	18	1823 Wilmington	Wash Legion	Wash Legion	Incendiary	\$55 00	No ins.	

34	Aug. 29	10 45 p m	412	West	Sarah Mathews	Kate Dixon	Sparks			Call by Chief
35	31	2 00 p m	25		Raleigh Electric Co	Raleigh Electric Co	Def. stack	\$55 00	\$55 00	False
36	Sep. 11	4 50 a m	34		Raleigh Cotton Mills	Raleigh Cotton Mills				Out town
37	17	8 25 p m	45		Mrs. Murray	Swift & Co	Def. flue			
38	22	3 00 p m	84							
39	25	12 00 m	37	S. A. L. Tracks	Mrs. F. P. Tucker	Mrs. Murray	Sparks			
40	41	8 20 p m	812	320 Blount	W. B. Grimes	Yarboro House	Rats	\$168 75	\$168 75	
41	41	11 30 p m	312	318 Fayetteville	City of Raleigh	City farm	Incendiary			Out town
42	29	2 15 p m	242	Blount	Bettie Johnson	Bettie Johnson	Def. flue	\$75 00	\$75 00	
43	Oct. 6	10 25 p m	Still		W. H. Lyon	L. Parkula	Def. flue	\$50 00	\$50 00	
44	6	6 30 a m	211	108 Bloodworth						
45	6	6 30 a m	Still							
46	7	9 15 a m	82	Hillsboro	S. A. L. Ry. Co	Hillsboro St. Bridge	Sparks			
47	7	11 40 a m	43	IS Sanders	W. J. Ellington	A. H. Monichan	Sparks			
48	7	2 30 p m	43	Jones						
49	9	11 40 a m	49	Still						
50	9	12 50 p m	29	Morgan	S. A. L. Ry. Co	Morgan St. Bridge	Sparks			
51	10	12 50 p m	29	210 1/2 Fayetteville	W. H. Robbins	K. L. Speares	Sparks			
52	12	7 00 p m	31	329 Hillsboro	Mrs. Johnson					
53	13	2 00 p m	31	319 Harrington	N. C. Cotton Oil Co.					
54	18	1 50 a m	28	Smithfield	G. F. Ball					
55	18	7 50 p m	25							
56	27	8 30 p m	Still							
57	27	12 30 p m	23	14 Martin	E. V. Denton	E. V. Denton	Def. flue	\$24,875 00	\$24,875 00	False
58	28	12 30 p m	23	14 Martin	Job P. Wyatt	W. Woolcott	Stove			Direct pressure
59	29	3 30 p m	27							False
60	4	9 00 p m	27	Cabarrus						Out town
61	4	7 15 p m	25	17 South	Rex Hospital					
62	6	10 15 p m	23	212 Martin	R. E. Parham					
63	9	1 55 a m	312	313 Cabarrus	Teene Ball					
64	11	2 20 a m	29							
65	15	5 50 a m	82	17 Hargett						
66	15	9 30 a m	23	508 Hillsboro	L. D. Castlebury					
67	21	4 25 a m	27							
68	22	7 10 p m	27	Blount						
69	22	11 45 a m	17	381 Fayetteville						
70	25	11 45 a m	23	104 North	Dr. Hogg's estate	Johnson	Chimney			
71	27	11 15 a m	81	So. Ry. cotton platform	Heath Bros	Cotton	Leaves			
72	27	2 15 p m	81	So. Ry. cotton platform	Heath Bros	Cotton	Sparks			
73	29	9 00 p m	23							
74	1	6 25 p m	23	517 Polk	A. B. Forest					
75	1	3 00 p m	81	319 Harrington	N. C. Cotton Oil Co	A. B. Forest	Def. flue			False
76	2	6 25 p m	321	805 Fayetteville	Mills Mfg. Co.	Mills Mfg. Co.	Incendiary	\$13,000 00	\$13,000 00	
77	4	9 15 a m	12							
78	9	8 00 a m	41							
79	12	10 10 a m	19	Jones			Grass			

RECORD OF FIRES FROM MARCH 1, 1905, TO FEBRUARY 28, 1906.—Continued.

Number.	Date.	Time.	Box.	Street and Number.	Owner.	Occupant.	Cause.	Damage	Insurance Paid.	Remarks.
80	15 10 45 p m	18	Polk							False
81	25 6 00 p m	12	Blount							False
82	25 6 30 a m	27	Still							Direct pressure
83	25 12 35 p m	25	Still							False
84	25 8 00 p m	25	Still							False
85	1906 Jan. 6 2 00 p m	47		S. A. L. tracks West	Standard Oil Co. Utman	Oil house	Sparks			Direct pressure
86	10 8 05 a m	36								False
87	10 6 00 p m	34								False
88	11 11 30 p m	46		218 Hillsboro	W. E. Grimes	Mr. F. Smith Capital Club	Def. flue			False
89	16 8 25 a m	312		14 Martin	Capital Club		Sparks			False
90	16 12 00 a m	81		So. Ry. cotton plant	Heath Bros.	12 bales cotton				False
91	17 11 10 p m	25								False
92	21 8 10 p m	81		211 Lenoir	E. Mathews	2 bales cotton	Def. flue			False
93	22 11 35 p m	81		So. Ry. cotton plant	Heath Bros.		Sparks			Direct pressure
94	25 7 30 a m	Still								False
95	26 5 00 p m	27								Direct pressure
96	5 12 30 a m	47		S. A. L. tracks	S. A. L. oil house		Sparks			Direct pressure
97	12 2 05 a m	253		700 Bloodworth	D. & L. Association		Def. flue			Direct pressure
98	13 12 00 a m	22		127 Halliux	J. B. Martin					False
99	13 7 00 a m	432		Sanders			Lamp			False
100	16 11 30 a m	41		West	J. M. Broughton & Co.			\$350 00	\$300 00	False
101	18 7 30 p m	16		209 Hargett	D. L. Royster		Def. flue			False
102	20 8 00 p m	Still		113 Harrington	W. A. Myatt		Def. flue			False
103	25 8 50 p m	84-11		822 Oakwood Ave	Shelley Swain		Grass			False
104	26 6 45 p m	14								False
105	26 10 10 p m	31								False
106										

Total damage, \$47,579.75; total insurance paid, \$47,244.75.

REPORT OF THE KEEPER OF THE MARKET.

To the Chairman of the Market Committee and Board of Aldermen:

GENTLEMEN:—I submit herewith my annual report for the information and consideration of your committee and transmission to the Board of Aldermen.

The following is a report of all proceedings taken and actions had by me with reference to meats, oysters, fish, fowls, and vegetables condemned as being unfit and unsafe for food, from January 1, 1905, to January 1, 1906.

MEATS CONDEMNED.

Beef, pounds	1,260
Sausage, pounds	980
Pork, pounds	425
Mutton, pounds	10
Chitterlings, pounds	70
Backbone, pounds	25
Spar-ribs, pounds	25

HOGS, ETC.

Hogs	4
Sheep	4
Deer	1
Veal	1
Rabbits	74
Lambs	2
Hams	11
Beef livers	7
Hog haslets	119
Brains, sets	220
Pickled pig feet, keg	1

FOWLS CONDEMNED.

Chickens	118
Birds	80
Turkeys	1

ANNUAL REPORT

OF THE

MAYOR AND OFFICERS

OF THE

CITY OF RALEIGH

FOR THE

FISCAL YEAR ENDING FEBRUARY 28, 1906



RALEIGH
COMMERCIAL PRINTING COMPANY
1907

OF THE MAYOR AND OFFICERS

INDEPENDENT'S ANNUAL REPORT.

FOR THE YEAR ENDING FEBRUARY 29, 1905.

Assets	\$2,350.00	
Liabilities	4,324.56	
Resources	77.24	
	<hr/>	
Balance, Feb 1, 1904)	\$6,751.80	
	152.30	
	<hr/>	
	\$6,904.10	
Expenses	\$6,549.64	
Bank	341.58	
	12.88	
	<hr/>	
	\$6,904.10	
Admitted during year	37	
	9	
	14	
	6	
	7	
	16	
	7	
	1	
Dismissed	12	
	1	
Expended during year	21	
Collected during the year	23	
Approved during the year	6	
Improved during the year	1	
Used treatment	2	
Declared as non-suitable	1	
Dismissed during year	\$175.00	

ELINOR S. PHILLIPS, Superintendent.